

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and Regulation (EC) No. 1272/2008 Including amendments

Revision date 13-08-2025

**Revision Number** 1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product Name PEPU FASCOL DUST GREY PIGMENT

Product Code(s) WS26183A

Safety data sheet number 31226

Unique Formula Identifier (UFI) 9VFS-X2NG-Y00Y-PW7T

Pure substance/mixture Mixture

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** Colouring of PU systems for CASE applications. For industrial use only.

# 1.3. Details of the supplier of the safety data sheet

<u>Importer</u> <u>Supplier</u>

WSEU LIMITED
West & Senior Ltd
The Penthouse Floor
Milltown Street
5 Lapps Quay
Radcliffe
Cork
Manchester
Ireland
M26 1WE
T12 RW7D
UK

For further information, please contact

E-mail address info@westsenior.co.uk

Non-Emergency Telephone Number + 44 01617247131

#### 1.4. Emergency telephone number

Emergency Telephone +44 0161 724 7131 Only available 8am to 4pm, Monday to Friday (UK Time Zone)

Emergency Telephone -	Emergency Telephone - §45 - (EC)1272/2008					
Europe	112					
Austria	24hr Emergency number +43 1 406 43 43					
Belgium	070 245 245					
Denmark	+45 8212 1212					
Finland	0800 147 111 (the call is free of charge)09 471 977 (normal price)					
France	ORFILA number: + 33 (0)1 45 42 59 59					
Ireland	7 days a week 8am-10pm - 01 809 2166					
Lithuania	Apsinuodijimų kontrolės ir informacijos biuro tel. Nr. +370 (85) 2362052					
Netherlands	NVIC: +31 (0)88 755 8000: Only for the purpose of informing medical personnel in case of acute intoxications' or in Dutch: 'Uitsluitend bestemd om professionele hulpverleners te informeren bij acute vergiftigingen.					
Norway	22 59 13 00					
Portugal	Portugal CIAV phone number: +351 800 250 250					

Spain	National Emergency Telephone Number of Spanish Poison Centre: + 34 91 562 04 20 The
	information will be provided in Spanish (available 24/7): health personnel & general public
	(poisoning cases).

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

# 2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### **Hazard statements**

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP].

EUH210 - Safety data sheet available on request.

EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

#### 2.3. Other hazards

Other hazards No information available.

PBT & vPvB None known.

**Endocrine Disruptor Information**This product does not contain any known or suspected endocrine disruptors.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical name	CAS No.	Weight-%	REACH registration number	EC No. (Index No.)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
TITANIUM DIOXIDE	13463-67-7	30-60%	01-21194893 79-17-0000	236-675-5	No data available	-	-	-
C.I. PIGMENT BLACK 11	1317-61-9	5-10%	01-21194576 46-28-0000	215-277-5	No data available	-	-	-
Natural Calcium Carbonate	1317-65-3	1-5%	Exempted in accordance REACH Annex V.7	215-279-6	No data available	-	-	-
RED OXIDE C.I. PIGMENT RED 101	1309-37-1	<1%	01-21194576 14-35-0011	215-168-2	No data available	-	-	-
Trimethylolpropane	77-99-6	<1%	01-21194867 99-10-0000	201-074-9	Repr. 2 (H361fd)	-	-	-

Full text of H- and EUH-phrases: see section 16

#### **Acute Toxicity Estimate**

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg		Inhalation LC50 - 4	Inhalation LC50 - 4	Inhalation LC50 - 4
		mg/kg	hour - dust/mist - mg/L	hour - vapor - mg/L	hour - gas - ppm
TITANIUM DIOXIDE	10000	No data available	5.0951	No data available	No data available
13463-67-7					
C.I. PIGMENT BLACK 11	10000	No data available	No data available	No data available	No data available
1317-61-9					
RED OXIDE C.I.	10000	No data available	No data available	No data available	No data available
PIGMENT RED 101					
1309-37-1					
Trimethylolpropane	14100	10000	No data available	No data available	No data available
77-99-6					

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### Additional information

This mixture contains ≥ 1% Titanium Dioxide (CAS 13463-67-7) The Annex VI classification of Titanium Dioxide does not apply to this mixture according to its Note 10.

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

**Inhalation** Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact**Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

physician.

**Ingestion** Rinse mouth.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Effects of Exposure No information available.

4.3. Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

surrounding environment.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

No information available.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

# SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

See Section 12 for additional Ecological Information. **Environmental precautions** 

6.3. Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Methods for containment

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations. Prevention of secondary hazards

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

# SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. **Storage Conditions** 

Storage class (TRGS 510) Storage class 10.

7.3. Specific end use(s)

Risk Management Methods (RMM) No information available.

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

# **Exposure Limits**

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
TITANIUM DIOXIDE	-	TWA-TMW:	TWA: 10 mg/m <sup>3</sup> ;	TWA: 10.0 mg/m <sup>3</sup> ;	TWA-GVI:
13463-67-7		5 mg/m <sup>3</sup> ; alveolar		respirable dust	10 mg/m3; total dust,
		dust, respirable			inhalable particles
		fraction			TWA-GVI: 4 mg/m <sup>3</sup> ;
		STEL-KZGW: 10			respirable dust
		mg/m³ (2 X 60 min); alveolar dust,			
		respirable fraction			
C.I. PIGMENT BLACK 11		-		TWA: 5.0 mg/m <sup>3</sup>	_
1317-61-9				TWA: 6.0 mg/m <sup>3</sup>	
Natural Calcium Carbonate	-	-	TWA: 10 mg/m <sup>3</sup>	TWA: 1.0 fiber/cm3	-
1317-65-3			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	TWA: 10 mg/m <sup>3</sup>	
RED OXIDE C.I. PIGMENT	-	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5.0 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup>
RED 101		STEL 10 mg/m <sup>3</sup>	3	3.	TWA: 5 mg/m <sup>3</sup>
1309-37-1					TWA: 10 mg/m <sup>3</sup>
					STEL: 10 mg/m <sup>3</sup>
SILICA (CRYSTALLINE)	TWA: 0.1 mg/m <sup>3</sup> ;	TWA-TMW:	TWA: 0.1 mg/m <sup>3</sup> ;	TWA: 0.1 mg/m <sup>3</sup> ;	TWA-GVI:
14808-60-7		0.05 mg/m <sup>3</sup> ; alveolar		respirable fraction	0.1 mg/m³;
		dust, respirable	TWA: 0.05 mg/m <sup>3</sup> ;		respirable dust;
	•	fraction	<b>D</b> .		respirable particle
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
TITANIUM DIOXIDE 13463-67-7	-	-	TWA: 6 mg/m³; STEL: 12 mg/m³;	TWA: 5 mg/m <sup>3</sup> ;	-
C.I. PIGMENT BLACK 11	_	TWA: 10 mg/m <sup>3</sup>	STEL. 12 mg/m²,	_	_
1317-61-9	-	I TVVA. TO IIIg/III	-	-	-
Natural Calcium Carbonate	_	TWA: 10.0 mg/m <sup>3</sup>	_	TWA: 10 mg/m <sup>3</sup>	_
1317-65-3		1117 tt 10.0 mg/m		TWA: 5 mg/m <sup>3</sup>	
RED OXIDE C.I. PIGMENT	-	TWA: 10 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
RED 101			STEL: 7 mg/m <sup>3</sup>	· ·	
1309-37-1					
SILICA (CRYSTALLINE)	TWA: 0.1 mg/m <sup>3</sup> ;	TWA: 0.1 mg/m <sup>3</sup> ;	TWA: 0.3 mg/m <sup>3</sup> ;	TWA: 0.1 mg/m <sup>3</sup> ;	TWA: 0.05 mg/m <sup>3</sup> ;
14808-60-7	respirable dust	dust	total	inhalable dust	respirable dust
	fraction		TWA: 0.1 mg/m <sup>3</sup> ;		
			respirable		
			STEL: 0.6 mg/m³; total		
			STEL: 0.2 mg/m <sup>3</sup> ;		
			respirable		
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
TITANIUM DIOXIDE	TWA-VME: 10	TWA-AGW;	TWA-MAK: 0.3	TWA: 10 mg/m <sup>3</sup> ;	-
13463-67-7	mg/m³;	1.25 mg/m <sup>3</sup> (exposu		inhalable fraction	
	<u>.</u>	re factor 2);	ble fraction	TWA: 5 mg/m <sup>3</sup> ;	
		respirable fraction	Peak: 2.4 mg/m <sup>3</sup> ;	respirable fraction	
		TWA-AGW;	respirable fraction		
		10 mg/m³ (exposure			
		factor 2); inhalable			
Netural Calairum Carita		fraction		TMA: 40/ 2	T\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Natural Calcium Carbonate 1317-65-3	-	-	-	TWA: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
1317-00-3				TWA. 5 Mg/m <sup>3</sup>	

					1
RED OXIDE C.I. PIGMENT		-	-	TWA: 10 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup>
RED 101	TWA: 10 mg/m <sup>3</sup>			STEL: 10 mg/m <sup>3</sup>	
1309-37-1				· ·	
SILICA (CRYSTALLINE)	TWA-VME: 0.1	_	_	TWA: 0.1 mg/m <sup>3</sup> ;	TWA-AK: 0.1 mg/m <sup>3</sup> ;
14808-60-7	mg/m³; alveolar			respirable dust	respirable fraction
14800-00-7	fraction			•	l respirable fraction
		1/ 1 NADI DO	to L. A.D.II	fraction	1.24
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
TITANIUM DIOXIDE	TWA: 10 mg/m <sup>3</sup> ;	-	TWA: 10 mg/m <sup>3</sup> ;	TWA: 10 mg/m <sup>3</sup> ;	TWA-IPRD: 5
13463-67-7	total inhalable dust				mg/m³;
	TWA: 4 mg/m <sup>3</sup> ;				
	respirable dust				
	STEL: 30				
	mg/m³ (calculated);				
	respirable dust				
	STEL: 12				
	mg/m³ (calculated);				
Natural Calcium Carbonate		-	-	-	-
1317-65-3	TWA: 4 mg/m <sup>3</sup>				
	STEL: 30 mg/m <sup>3</sup>				
	STEL: 12 mg/m <sup>3</sup>				
RED OXIDE C.I. PIGMENT			TWA: 5 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup>
		_	TVVA. 5 mg/m²	1 VVA. 4 IIIg/III	I WA. 3.5 mg/m²
RED 101	TWA: 10 mg/m <sup>3</sup>				
1309-37-1	TWA: 4 mg/m <sup>3</sup>				
	STEL: 10 mg/m <sup>3</sup>				
	STEL: 12 mg/m <sup>3</sup>				
	STEL: 30 mg/m <sup>3</sup>				
Trimethylolpropane	_	_	_	-	Ceiling: 5 ppm
77-99-6					J
	$TVVA \cdot 0.1 \text{ mg/m}^3$	$T \setminus A \cdot A \cdot A = A \cdot A \cdot A \cdot A \cdot A \cdot A \cdot A \cdot$	T\\\A \cdot \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		TWA-IDDD: 0.1
SILICA (CRYSTALLINE)	TWA: 0.1 mg/m³;	TWA: 0.1 mg/m³;	TWA: 0.025 mg/m³;	-	TWA-IPRD: 0.1
	respirable dust	TWA: 0.1 mg/m³; respirable fraction	TWA: 0.025 mg/m³; respirable fraction	-	ppm; respirable
SILICA (CRYSTALLINE) 14808-60-7	respirable dust STEL: 0.3 mg/m³;	respirable fraction	respirable fraction	-	ppm; respirable fraction
SILICA (CRYSTALLINE) 14808-60-7 Chemical name	respirable dust			- Norway	ppm; respirable fraction Poland
SILICA (CRYSTALLINE) 14808-60-7	respirable dust STEL: 0.3 mg/m³;	respirable fraction	respirable fraction	TWA: 5 mg/m <sup>3</sup> ;	ppm; respirable fraction Poland TWA-NDS: 10
SILICA (CRYSTALLINE) 14808-60-7 Chemical name	respirable dust STEL: 0.3 mg/m³;	respirable fraction	respirable fraction		ppm; respirable fraction Poland
SILICA (CRYSTALLINE) 14808-60-7  Chemical name TITANIUM DIOXIDE	respirable dust STEL: 0.3 mg/m³;	respirable fraction	respirable fraction	TWA: 5 mg/m <sup>3</sup> ; STEL: 10	ppm; respirable fraction Poland TWA-NDS: 10
SILICA (CRYSTALLINE) 14808-60-7  Chemical name TITANIUM DIOXIDE	respirable dust STEL: 0.3 mg/m³;	respirable fraction	respirable fraction	TWA: 5 mg/m³; STEL: 10 mg/m³ (value	ppm; respirable fraction Poland TWA-NDS: 10 mg/m³; inhalable fraction
SILICA (CRYSTALLINE) 14808-60-7  Chemical name TITANIUM DIOXIDE	respirable dust STEL: 0.3 mg/m³;	respirable fraction	respirable fraction	TWA: 5 mg/m <sup>3</sup> ; STEL: 10	ppm; respirable fraction Poland TWA-NDS: 10 mg/m³; inhalable fraction STEL-NDSCh: 30
SILICA (CRYSTALLINE) 14808-60-7  Chemical name TITANIUM DIOXIDE 13463-67-7	respirable dust STEL: 0.3 mg/m³;	respirable fraction	respirable fraction  Netherlands  -	TWA: 5 mg/m³; STEL: 10 mg/m³ (value	ppm; respirable fraction Poland TWA-NDS: 10 mg/m³; inhalable fraction STEL-NDSCh: 30 mg/m³;
SILICA (CRYSTALLINE) 14808-60-7  Chemical name TITANIUM DIOXIDE 13463-67-7  C.I. PIGMENT BLACK 11	respirable dust STEL: 0.3 mg/m³;	respirable fraction	respirable fraction	TWA: 5 mg/m³; STEL: 10 mg/m³ (value	ppm; respirable fraction Poland TWA-NDS: 10 mg/m³; inhalable fraction STEL-NDSCh: 30 mg/m³; TWA: 5 mg/m³
SILICA (CRYSTALLINE) 14808-60-7  Chemical name TITANIUM DIOXIDE 13463-67-7	respirable dust STEL: 0.3 mg/m³;	respirable fraction	respirable fraction  Netherlands  -	TWA: 5 mg/m³; STEL: 10 mg/m³ (value	ppm; respirable fraction Poland TWA-NDS: 10 mg/m³; inhalable fraction STEL-NDSCh: 30 mg/m³; TWA: 5 mg/m³ TWA: 2.5 mg/m³
SILICA (CRYSTALLINE) 14808-60-7  Chemical name TITANIUM DIOXIDE 13463-67-7  C.I. PIGMENT BLACK 11	respirable dust STEL: 0.3 mg/m³;	respirable fraction	respirable fraction  Netherlands  -	TWA: 5 mg/m³; STEL: 10 mg/m³ (value	ppm; respirable fraction Poland TWA-NDS: 10 mg/m³; inhalable fraction STEL-NDSCh: 30 mg/m³; TWA: 5 mg/m³ TWA: 2.5 mg/m³ STEL: 10 mg/m³
SILICA (CRYSTALLINE) 14808-60-7  Chemical name TITANIUM DIOXIDE 13463-67-7  C.I. PIGMENT BLACK 11 1317-61-9	respirable dust STEL: 0.3 mg/m³; Luxembourg	respirable fraction	respirable fraction  Netherlands  -	TWA: 5 mg/m³; STEL: 10 mg/m³ (value calculated);	ppm; respirable fraction Poland TWA-NDS: 10 mg/m³; inhalable fraction STEL-NDSCh: 30 mg/m³; TWA: 5 mg/m³ TWA: 2.5 mg/m³ STEL: 10 mg/m³ STEL: 5 mg/m³
SILICA (CRYSTALLINE) 14808-60-7  Chemical name TITANIUM DIOXIDE 13463-67-7  C.I. PIGMENT BLACK 11	respirable dust STEL: 0.3 mg/m³; Luxembourg	respirable fraction	respirable fraction  Netherlands  -	TWA: 5 mg/m³; STEL: 10 mg/m³ (value	ppm; respirable fraction Poland TWA-NDS: 10 mg/m³; inhalable fraction STEL-NDSCh: 30 mg/m³; TWA: 5 mg/m³ TWA: 2.5 mg/m³ STEL: 10 mg/m³
SILICA (CRYSTALLINE) 14808-60-7  Chemical name TITANIUM DIOXIDE 13463-67-7  C.I. PIGMENT BLACK 11 1317-61-9	respirable dust STEL: 0.3 mg/m³; Luxembourg	respirable fraction	respirable fraction  Netherlands  -	TWA: 5 mg/m³; STEL: 10 mg/m³ (value calculated); - TWA: 3 mg/m³	ppm; respirable fraction Poland TWA-NDS: 10 mg/m³; inhalable fraction STEL-NDSCh: 30 mg/m³; TWA: 5 mg/m³ TWA: 2.5 mg/m³ STEL: 10 mg/m³ STEL: 5 mg/m³ TWA: 2.5 mg/m³
SILICA (CRYSTALLINE) 14808-60-7  Chemical name TITANIUM DIOXIDE 13463-67-7  C.I. PIGMENT BLACK 11 1317-61-9  RED OXIDE C.I. PIGMENT RED 101	respirable dust STEL: 0.3 mg/m³; Luxembourg	respirable fraction	respirable fraction  Netherlands  -	TWA: 5 mg/m³; STEL: 10 mg/m³ (value calculated);	ppm; respirable fraction Poland TWA-NDS: 10 mg/m³; inhalable fraction STEL-NDSCh: 30 mg/m³; TWA: 5 mg/m³ TWA: 2.5 mg/m³ STEL: 10 mg/m³ STEL: 5 mg/m³ TWA: 2.5 mg/m³ TWA: 2.5 mg/m³
SILICA (CRYSTALLINE) 14808-60-7  Chemical name TITANIUM DIOXIDE 13463-67-7  C.I. PIGMENT BLACK 11 1317-61-9  RED OXIDE C.I. PIGMENT	respirable dust STEL: 0.3 mg/m³; Luxembourg	respirable fraction	respirable fraction  Netherlands  -	TWA: 5 mg/m³; STEL: 10 mg/m³ (value calculated); - TWA: 3 mg/m³	ppm; respirable fraction Poland TWA-NDS: 10 mg/m³; inhalable fraction STEL-NDSCh: 30 mg/m³; TWA: 5 mg/m³ TWA: 2.5 mg/m³ STEL: 10 mg/m³ STEL: 5 mg/m³ TWA: 2.5 mg/m³ TWA: 2.5 mg/m³ STEL: 10 mg/m³ STEL: 10 mg/m³
SILICA (CRYSTALLINE) 14808-60-7  Chemical name TITANIUM DIOXIDE 13463-67-7  C.I. PIGMENT BLACK 11 1317-61-9  RED OXIDE C.I. PIGMENT RED 101 1309-37-1	respirable dust STEL: 0.3 mg/m³; Luxembourg	respirable fraction	respirable fraction  Netherlands  -  -	TWA: 5 mg/m³; STEL: 10 mg/m³ (value calculated); - TWA: 3 mg/m³ STEL: 6 mg/m³	ppm; respirable fraction Poland TWA-NDS: 10 mg/m³; inhalable fraction STEL-NDSCh: 30 mg/m³; TWA: 5 mg/m³ TWA: 2.5 mg/m³ STEL: 10 mg/m³ STEL: 5 mg/m³ TWA: 2.5 mg/m³ STEL: 5 mg/m³ STEL: 5 mg/m³ STEL: 5 mg/m³ STEL: 10 mg/m³ STEL: 10 mg/m³ STEL: 5 mg/m³
SILICA (CRYSTALLINE) 14808-60-7  Chemical name TITANIUM DIOXIDE 13463-67-7  C.I. PIGMENT BLACK 11 1317-61-9  RED OXIDE C.I. PIGMENT RED 101 1309-37-1  SILICA (CRYSTALLINE)	respirable dust STEL: 0.3 mg/m³; Luxembourg	respirable fraction	respirable fraction  Netherlands  -  TWA: 0.075 mg/m³;	TWA: 5 mg/m³; STEL: 10 mg/m³ (value calculated); - TWA: 3 mg/m³ STEL: 6 mg/m³	ppm; respirable fraction Poland TWA-NDS: 10 mg/m³; inhalable fraction STEL-NDSCh: 30 mg/m³; TWA: 5 mg/m³ TWA: 2.5 mg/m³ STEL: 10 mg/m³ STEL: 5 mg/m³ TWA: 2.5 mg/m³ TWA: 2.5 mg/m³ TWA: 5 mg/m³ TWA: 5 mg/m³ TWA: 5 mg/m³ STEL: 10 mg/m³ STEL: 5 mg/m³ STEL: 10 mg/m³ STEL: 5 mg/m³
SILICA (CRYSTALLINE) 14808-60-7  Chemical name TITANIUM DIOXIDE 13463-67-7  C.I. PIGMENT BLACK 11 1317-61-9  RED OXIDE C.I. PIGMENT RED 101 1309-37-1	respirable dust STEL: 0.3 mg/m³; Luxembourg	respirable fraction	respirable fraction  Netherlands  -  -	TWA: 5 mg/m³; STEL: 10 mg/m³ (value calculated); - TWA: 3 mg/m³ STEL: 6 mg/m³	ppm; respirable fraction  Poland  TWA-NDS: 10 mg/m³; inhalable fraction  STEL-NDSCh: 30 mg/m³;  TWA: 5 mg/m³  STEL: 10 mg/m³  STEL: 5 mg/m³  TWA: 2.5 mg/m³  TWA: 2.5 mg/m³  STEL: 5 mg/m³  TWA: 5 mg/m³  TWA: 5 mg/m³  TWA: 5 mg/m³  STEL: 10 mg/m³  STEL: 10 mg/m³  STEL: 5 mg/m³
SILICA (CRYSTALLINE) 14808-60-7  Chemical name TITANIUM DIOXIDE 13463-67-7  C.I. PIGMENT BLACK 11 1317-61-9  RED OXIDE C.I. PIGMENT RED 101 1309-37-1  SILICA (CRYSTALLINE)	respirable dust STEL: 0.3 mg/m³; Luxembourg	respirable fraction	respirable fraction  Netherlands  -  TWA: 0.075 mg/m³;	TWA: 5 mg/m³; STEL: 10 mg/m³ (value calculated); - TWA: 3 mg/m³ STEL: 6 mg/m³ TWA: 0.05 mg/m³; respirable dust TWA: 0.3 mg/m³;	ppm; respirable fraction Poland TWA-NDS: 10 mg/m³; inhalable fraction STEL-NDSCh: 30 mg/m³; TWA: 5 mg/m³ TWA: 2.5 mg/m³ STEL: 10 mg/m³ STEL: 5 mg/m³ TWA: 2.5 mg/m³ TWA: 2.5 mg/m³ TWA: 5 mg/m³ TWA: 5 mg/m³ TWA: 5 mg/m³ STEL: 10 mg/m³ STEL: 5 mg/m³ STEL: 10 mg/m³ STEL: 5 mg/m³
SILICA (CRYSTALLINE) 14808-60-7  Chemical name TITANIUM DIOXIDE 13463-67-7  C.I. PIGMENT BLACK 11 1317-61-9  RED OXIDE C.I. PIGMENT RED 101 1309-37-1  SILICA (CRYSTALLINE)	respirable dust STEL: 0.3 mg/m³; Luxembourg	respirable fraction	respirable fraction  Netherlands  -  TWA: 0.075 mg/m³;	TWA: 5 mg/m³; STEL: 10 mg/m³ (value calculated); - TWA: 3 mg/m³ STEL: 6 mg/m³ TWA: 0.05 mg/m³; respirable dust TWA: 0.3 mg/m³; total dust	ppm; respirable fraction  Poland  TWA-NDS: 10 mg/m³; inhalable fraction  STEL-NDSCh: 30 mg/m³;  TWA: 5 mg/m³  STEL: 10 mg/m³  STEL: 5 mg/m³  TWA: 2.5 mg/m³  TWA: 2.5 mg/m³  STEL: 5 mg/m³  TWA: 5 mg/m³  TWA: 5 mg/m³  TWA: 5 mg/m³  STEL: 10 mg/m³  STEL: 10 mg/m³  STEL: 5 mg/m³
SILICA (CRYSTALLINE) 14808-60-7  Chemical name TITANIUM DIOXIDE 13463-67-7  C.I. PIGMENT BLACK 11 1317-61-9  RED OXIDE C.I. PIGMENT RED 101 1309-37-1  SILICA (CRYSTALLINE)	respirable dust STEL: 0.3 mg/m³; Luxembourg	respirable fraction	respirable fraction  Netherlands  -  TWA: 0.075 mg/m³;	TWA: 5 mg/m³; STEL: 10 mg/m³ (value calculated); - TWA: 3 mg/m³ STEL: 6 mg/m³ TWA: 0.05 mg/m³; respirable dust TWA: 0.3 mg/m³;	ppm; respirable fraction  Poland  TWA-NDS: 10 mg/m³; inhalable fraction  STEL-NDSCh: 30 mg/m³;  TWA: 5 mg/m³  STEL: 10 mg/m³  STEL: 5 mg/m³  TWA: 2.5 mg/m³  TWA: 2.5 mg/m³  STEL: 5 mg/m³  TWA: 5 mg/m³  TWA: 5 mg/m³  TWA: 5 mg/m³  STEL: 10 mg/m³  STEL: 10 mg/m³  STEL: 5 mg/m³
SILICA (CRYSTALLINE) 14808-60-7  Chemical name TITANIUM DIOXIDE 13463-67-7  C.I. PIGMENT BLACK 11 1317-61-9  RED OXIDE C.I. PIGMENT RED 101 1309-37-1  SILICA (CRYSTALLINE)	respirable dust STEL: 0.3 mg/m³; Luxembourg	respirable fraction	respirable fraction  Netherlands  -  TWA: 0.075 mg/m³;	TWA: 5 mg/m³; STEL: 10 mg/m³ (value calculated); - TWA: 3 mg/m³ STEL: 6 mg/m³ TWA: 0.05 mg/m³; respirable dust TWA: 0.3 mg/m³; total dust	ppm; respirable fraction  Poland  TWA-NDS: 10 mg/m³; inhalable fraction  STEL-NDSCh: 30 mg/m³;  TWA: 5 mg/m³  STEL: 10 mg/m³  STEL: 5 mg/m³  TWA: 2.5 mg/m³  TWA: 2.5 mg/m³  STEL: 5 mg/m³  TWA: 5 mg/m³  TWA: 5 mg/m³  TWA: 5 mg/m³  STEL: 10 mg/m³  STEL: 10 mg/m³  STEL: 5 mg/m³
SILICA (CRYSTALLINE) 14808-60-7  Chemical name TITANIUM DIOXIDE 13463-67-7  C.I. PIGMENT BLACK 11 1317-61-9  RED OXIDE C.I. PIGMENT RED 101 1309-37-1  SILICA (CRYSTALLINE)	respirable dust STEL: 0.3 mg/m³; Luxembourg	respirable fraction	respirable fraction  Netherlands  -  TWA: 0.075 mg/m³;	TWA: 5 mg/m³; STEL: 10 mg/m³ (value calculated); - TWA: 3 mg/m³ STEL: 6 mg/m³ TWA: 0.05 mg/m³; respirable dust TWA: 0.3 mg/m³; total dust STEL: 0.9 mg/m³ (value	ppm; respirable fraction  Poland  TWA-NDS: 10 mg/m³; inhalable fraction  STEL-NDSCh: 30 mg/m³;  TWA: 5 mg/m³  STEL: 10 mg/m³  STEL: 5 mg/m³  TWA: 2.5 mg/m³  TWA: 2.5 mg/m³  STEL: 5 mg/m³  TWA: 5 mg/m³  TWA: 5 mg/m³  TWA: 5 mg/m³  STEL: 10 mg/m³  STEL: 10 mg/m³  STEL: 5 mg/m³
SILICA (CRYSTALLINE) 14808-60-7  Chemical name TITANIUM DIOXIDE 13463-67-7  C.I. PIGMENT BLACK 11 1317-61-9  RED OXIDE C.I. PIGMENT RED 101 1309-37-1  SILICA (CRYSTALLINE)	respirable dust STEL: 0.3 mg/m³; Luxembourg	respirable fraction	respirable fraction  Netherlands  -  TWA: 0.075 mg/m³;	TWA: 5 mg/m³; STEL: 10 mg/m³ (value calculated);  -  TWA: 3 mg/m³ STEL: 6 mg/m³ STEL: 6 mg/m³; respirable dust TWA: 0.3 mg/m³; total dust STEL: 0.9 mg/m³ (value calculated;dust	ppm; respirable fraction  Poland  TWA-NDS: 10 mg/m³; inhalable fraction  STEL-NDSCh: 30 mg/m³;  TWA: 5 mg/m³  STEL: 10 mg/m³  STEL: 5 mg/m³  TWA: 2.5 mg/m³  TWA: 2.5 mg/m³  STEL: 5 mg/m³  TWA: 5 mg/m³  TWA: 5 mg/m³  TWA: 5 mg/m³  STEL: 10 mg/m³  STEL: 10 mg/m³  STEL: 5 mg/m³
SILICA (CRYSTALLINE) 14808-60-7  Chemical name TITANIUM DIOXIDE 13463-67-7  C.I. PIGMENT BLACK 11 1317-61-9  RED OXIDE C.I. PIGMENT RED 101 1309-37-1  SILICA (CRYSTALLINE)	respirable dust STEL: 0.3 mg/m³; Luxembourg	respirable fraction	respirable fraction  Netherlands  -  TWA: 0.075 mg/m³;	TWA: 5 mg/m³; STEL: 10 mg/m³ (value calculated);  -  TWA: 3 mg/m³ STEL: 6 mg/m³ STEL: 6 mg/m³; respirable dust TWA: 0.3 mg/m³; total dust STEL: 0.9 mg/m³ (value calculated;dust containing	ppm; respirable fraction  Poland  TWA-NDS: 10 mg/m³; inhalable fraction  STEL-NDSCh: 30 mg/m³;  TWA: 5 mg/m³  STEL: 10 mg/m³  STEL: 5 mg/m³  TWA: 2.5 mg/m³  TWA: 2.5 mg/m³  STEL: 5 mg/m³  TWA: 5 mg/m³  TWA: 5 mg/m³  TWA: 5 mg/m³  STEL: 10 mg/m³  STEL: 10 mg/m³  STEL: 5 mg/m³
SILICA (CRYSTALLINE) 14808-60-7  Chemical name TITANIUM DIOXIDE 13463-67-7  C.I. PIGMENT BLACK 11 1317-61-9  RED OXIDE C.I. PIGMENT RED 101 1309-37-1  SILICA (CRYSTALLINE)	respirable dust STEL: 0.3 mg/m³; Luxembourg	respirable fraction	respirable fraction  Netherlands  -  TWA: 0.075 mg/m³;	TWA: 5 mg/m³; STEL: 10 mg/m³ (value calculated);  -  TWA: 3 mg/m³ STEL: 6 mg/m³ STEL: 6 mg/m³; respirable dust TWA: 0.3 mg/m³; total dust STEL: 0.9 mg/m³ (value calculated;dust containing .alphaQuartz,	ppm; respirable fraction  Poland  TWA-NDS: 10 mg/m³; inhalable fraction  STEL-NDSCh: 30 mg/m³;  TWA: 5 mg/m³  STEL: 10 mg/m³  STEL: 5 mg/m³  TWA: 2.5 mg/m³  TWA: 2.5 mg/m³  STEL: 5 mg/m³  TWA: 5 mg/m³  TWA: 5 mg/m³  TWA: 5 mg/m³  STEL: 10 mg/m³  STEL: 10 mg/m³  STEL: 5 mg/m³
SILICA (CRYSTALLINE) 14808-60-7  Chemical name TITANIUM DIOXIDE 13463-67-7  C.I. PIGMENT BLACK 11 1317-61-9  RED OXIDE C.I. PIGMENT RED 101 1309-37-1  SILICA (CRYSTALLINE)	respirable dust STEL: 0.3 mg/m³; Luxembourg	respirable fraction	respirable fraction  Netherlands  -  TWA: 0.075 mg/m³;	TWA: 5 mg/m³; STEL: 10 mg/m³ (value calculated);  -  TWA: 3 mg/m³ STEL: 6 mg/m³ STEL: 6 mg/m³; respirable dust TWA: 0.3 mg/m³; total dust STEL: 0.9 mg/m³ (value calculated;dust containing .alphaQuartz, Cristobalite and/or	ppm; respirable fraction  Poland  TWA-NDS: 10 mg/m³; inhalable fraction  STEL-NDSCh: 30 mg/m³;  TWA: 5 mg/m³  STEL: 10 mg/m³  STEL: 5 mg/m³  TWA: 2.5 mg/m³  TWA: 2.5 mg/m³  STEL: 5 mg/m³  TWA: 5 mg/m³  TWA: 5 mg/m³  TWA: 5 mg/m³  STEL: 10 mg/m³  STEL: 10 mg/m³  STEL: 5 mg/m³
SILICA (CRYSTALLINE) 14808-60-7  Chemical name TITANIUM DIOXIDE 13463-67-7  C.I. PIGMENT BLACK 11 1317-61-9  RED OXIDE C.I. PIGMENT RED 101 1309-37-1  SILICA (CRYSTALLINE)	respirable dust STEL: 0.3 mg/m³; Luxembourg	respirable fraction	respirable fraction  Netherlands  -  TWA: 0.075 mg/m³;	TWA: 5 mg/m³; STEL: 10 mg/m³ (value calculated);  -  TWA: 3 mg/m³ STEL: 6 mg/m³ STEL: 6 mg/m³; respirable dust TWA: 0.3 mg/m³; total dust STEL: 0.9 mg/m³ (value calculated;dust containing .alphaQuartz, Cristobalite and/or Tridymite is	ppm; respirable fraction  Poland  TWA-NDS: 10 mg/m³; inhalable fraction  STEL-NDSCh: 30 mg/m³;  TWA: 5 mg/m³  STEL: 10 mg/m³  STEL: 5 mg/m³  TWA: 2.5 mg/m³  TWA: 2.5 mg/m³  STEL: 5 mg/m³  TWA: 5 mg/m³  TWA: 5 mg/m³  TWA: 5 mg/m³  STEL: 10 mg/m³  STEL: 10 mg/m³  STEL: 5 mg/m³
SILICA (CRYSTALLINE) 14808-60-7  Chemical name TITANIUM DIOXIDE 13463-67-7  C.I. PIGMENT BLACK 11 1317-61-9  RED OXIDE C.I. PIGMENT RED 101 1309-37-1  SILICA (CRYSTALLINE)	respirable dust STEL: 0.3 mg/m³; Luxembourg	respirable fraction	respirable fraction  Netherlands  -  TWA: 0.075 mg/m³;	TWA: 5 mg/m³; STEL: 10 mg/m³ (value calculated);  -  TWA: 3 mg/m³ STEL: 6 mg/m³ STEL: 6 mg/m³; respirable dust TWA: 0.3 mg/m³; total dust STEL: 0.9 mg/m³ (value calculated;dust containing .alphaQuartz, Cristobalite and/or Tridymite is evaluated by	ppm; respirable fraction  Poland  TWA-NDS: 10 mg/m³; inhalable fraction  STEL-NDSCh: 30 mg/m³;  TWA: 5 mg/m³  STEL: 10 mg/m³  STEL: 5 mg/m³  TWA: 2.5 mg/m³  TWA: 2.5 mg/m³  STEL: 5 mg/m³  TWA: 5 mg/m³  TWA: 5 mg/m³  TWA: 5 mg/m³  STEL: 10 mg/m³  STEL: 10 mg/m³  STEL: 5 mg/m³
SILICA (CRYSTALLINE) 14808-60-7  Chemical name TITANIUM DIOXIDE 13463-67-7  C.I. PIGMENT BLACK 11 1317-61-9  RED OXIDE C.I. PIGMENT RED 101 1309-37-1  SILICA (CRYSTALLINE)	respirable dust STEL: 0.3 mg/m³; Luxembourg	respirable fraction	respirable fraction  Netherlands  -  TWA: 0.075 mg/m³;	TWA: 5 mg/m³; STEL: 10 mg/m³ (value calculated);  -  TWA: 3 mg/m³ STEL: 6 mg/m³ STEL: 6 mg/m³; respirable dust TWA: 0.3 mg/m³; total dust STEL: 0.9 mg/m³ (value calculated;dust containing .alphaQuartz, Cristobalite and/or Tridymite is	ppm; respirable fraction  Poland  TWA-NDS: 10 mg/m³; inhalable fraction  STEL-NDSCh: 30 mg/m³;  TWA: 5 mg/m³  STEL: 10 mg/m³  STEL: 5 mg/m³  TWA: 2.5 mg/m³  TWA: 2.5 mg/m³  STEL: 5 mg/m³  TWA: 5 mg/m³  TWA: 5 mg/m³  TWA: 5 mg/m³  STEL: 10 mg/m³  STEL: 10 mg/m³  STEL: 5 mg/m³

					the value Nuisance of be observed and STEL: mg/m³ calculate conta alpha(Cristobali Tridyn evalua summation At the sale the value Nuisance of be observespirate	dust must ed); total st 0.15 (value ed;dust ining Quartz, te and/or nite is ted by n formula. me time, ues for dust must erved); le dust	
Chemical name	Portu	gal	Romania	Slovakia	Slove	enia	Spain
TITANIUM DIOXIDE	TWA (VLE-		TWA: 10 mg/m <sup>3</sup> ;	TWA: 5 mg/m <sup>3</sup> ;	-		TWA-(VLA-ED): 10
13463-67-7	`mg/n		STEL: 15 mg/m <sup>3</sup> ;	· J. ,			mg/m³;
C.I. PIGMENT BLACK 11		,	-	TWA: 4 mg/m <sup>3</sup>	_		-
1317-61-9							
Natural Calcium Carbonate	_		TWA: 10 mg/m <sup>3</sup>	_	_		_
1317-65-3			I vvvv. 10 mg/m				
RED OXIDE C.I. PIGMENT	TWA: 5 i	ma/m3	TWA: 5 mg/m <sup>3</sup>	TWA: 1.5 mg/m <sup>3</sup>	_		TWA: 5 mg/m <sup>3</sup>
RED 101	1 00 7. 3 1	ng/m²	STEL: 10 mg/m <sup>3</sup>	TWA. 1.5 mg/m	·		TVVA. 5 mg/m²
1309-37-1			STEE. TO HIG/III				
	TWA (VL	L MD).	TWA: 0.1 mg/m <sup>3</sup> ;	TWA: 0.1 mg/m <sup>3</sup> ;	T\\\\\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	E ma/m3.	TWA-(VLA-ED):
SILICA (CRYSTALLINE)					TWA: 0.0		
14808-60-7	0.025 m		dust, respirable	STEL: 0.5 mg/m <sup>3</sup> ;	respirable	raction	0.05 mg/m³;
	respirable	traction	fraction	0 %	<u> </u>	- 11	respirable fraction
Chemical name			Sweden	Switzerlan			nited Kingdom
TITANIUM DIOXIE	)E	TLV-NG	V: 5 mg/m³; total dust			IWA	: 10 mg/m³; total
13463-67-7				respirable d			inhalable
				TWA-MAK: 10			mg/m³; respirable
				inhalable d	ust	STEL	.: 30 mg/m³; total
							inhalable
							2 mg/m³; respirable
Natural Calcium Carb	onate		-	-			VA: 10 mg/m <sup>3</sup>
1317-65-3							WA: 4 mg/m³
							EL: 30 mg/m <sup>3</sup>
							EL: 12 mg/m <sup>3</sup>
	RED OXIDE C.I. PIGMENT RED 101		GV: 3.5 mg/m <sup>3</sup>	TWA: 3 mg/	/m <sup>3</sup>		WA: 5 mg/m <sup>3</sup>
1309-37-1							VA: 10 mg/m <sup>3</sup>
							WA: 4 mg/m <sup>3</sup>
							EL: 10 mg/m <sup>3</sup>
						51	EL: 30 mg/m <sup>3</sup>
Table 41.1			10) /: 5/ 2			51	EL: 12 mg/m <sup>3</sup>
Trimethylolpropar 77-99-6	ne	ľ	NGV: 5 mg/m³	-			-
SILICA (CRYSTALL	INE)	TLV-	-NGV: 0.1 mg/m <sup>3</sup> ;	TWA-MAK: 0.15	mg/m³;	TWA: 0.	1 mg/m <sup>3</sup> ; respirable
14808-60-7	-	res	spirable fraction	respirable d			fraction
						STEL: 0.	.3 mg/m³; respirable
				-			

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

# **Derived No Effect Level (DNEL) - Workers**

Chemical name	Oral	Dermal	Inhalation
C.I. PIGMENT BLACK 11 1317-61-9	-	-	10 mg/m³ [5] [6]
C.I. PIGMENT YELLOW 42 51274-00-1	-	-	10 mg/m³ [5] [6]
Trimethylolpropane 77-99-6	-	0.94 mg/kg bw/day [4] [6]	3.3 mg/m³ [4] [6]

**Notes** 

[4] Systemic health effects.[5] Local health effects.

[6] Long term.

#### Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
Trimethylolpropane 77-99-6	0.34 mg/kg bw/day [4] [6]	-	0.58 mg/m³ [4] [6]

**Notes** 

[4] Systemic health effects.

[6] Long term.

# **Predicted No Effect Concentration (PNEC)**

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
TITANIUM DIOXIDE 13463-67-7	0.127 mg/l	0.61 mg/l	1 mg/l	0.61 mg/l	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
TITANIUM DIOXIDE	0 0	100 mg/kg sediment	100 mg/L	100 mg/kg soil dw	-
13463-67-7	sediment dw	dw			

### 8.2. Exposure controls

**Engineering controls** No information available.

Personal protective equipment

**Eye/face protection** Appropriate eye/face protection should be selected and used according to the chemical

nature, hazards and use of this product and safety requirements of the local jurisdiction.

**Hand protection** Wear chemically resistant gloves (tested in accordance to EN 374-1 Type C or greater to be

assessed by local risk assessment and physical activity) in combination with employee training. Glove material: Neoprene, Nitriles. Gloves should be discarded and replaced if

there is any indication of degradation or chemical breakthrough.

Skin and body protection Appropriate skin and body protection should be selected and used according to the

chemical nature, hazards and use of this product and safety requirements of the local

jurisdiction.

Appropriate respiratory protection should be selected and used according to the chemical Respiratory protection

> nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be

> > None known

None known

None known

None known

required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** No information available.

# SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

**Appearance** Coloured paste

Physical state Liquid Color Grev Sweetish Odor

**Odor threshold** No information available

Property Values Remarks • Method

Melting point / freezing point No data available None known

Boiling point or initial boiling point > 100 °C >100°C @ 760 mm Hg, Estimated value

and boiling range

No data available **Flammability** None known None known

Lower and upper explosion

limit/flammability limit

Lower explosion limit No data available **Upper explosion limit** No data available

> 182 °C Flash point Closed cup **Autoignition temperature** No data available None known

**Decomposition temperature** 

None known SADT (°C) No data available None known No data available None known Ha pH (as aqueous solution) No data available None known Kinematic viscosity No data available None known **Dynamic viscosity** No data available None known Solubility No data available None known Water solubility No data available None known

Partition coefficient n-octanol/water No data available

(log value)

Vapor pressure No data available Density and/or relative density No data available

No data available **Bulk density Liquid Density** No data available Relative vapor density No data available

**Particle characteristics** 

**Particle Size** No information available **Particle Size Distribution** No information available

#### 9.2. Other information

# 9.2.1. Information with regard to physical hazard classes

No information available

Explosive properties Not considered to be explosive

**Oxidizing properties** No

#### 9.2.2. Other safety characteristics

No information available

# SECTION 10: Stability and reactivity

10.1. Reactivity

**Reactivity** No information available.

10.2. Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions 
None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

**Incompatible materials**None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

# SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

**Product Information** 

**Inhalation** Specific test data for the substance or mixture is not available.

**Eye contact** Specific test data for the substance or mixture is not available.

**Skin contact** Specific test data for the substance or mixture is not available.

**Ingestion** Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

Acute toxicity Based on available data, the classification criteria are not met.

Numerical measures of toxicity

The following ATE values have been calculated for the mixture

 ATEmix (oral)
 10,072.00 mg/kg

 ATEmix (dermal)
 99,999.00 mg/kg

 ATEmix (inhalation-gas)
 99,999.00 ppm

 ATEmix (inhalation-vapor)
 99,999.00 mg/l

 ATEmix (inhalation-dust/mist)
 99,999.00 mg/l

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
TITANIUM DIOXIDE	> 2000 mg/kg (Rat)	-	> 5.09 mg/L (Rat) 4 h
C.I. PIGMENT BLACK 11	> 10000 mg/kg (Rat)	-	-
RED OXIDE C.I. PIGMENT RED 101	> 10000 mg/kg (Rat)	-	-
Trimethylolpropane	= 14100 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	> 0.85 mg/L (Rat)4 h

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity**Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

**STOT - repeated exposure**Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

11.2.2. Other information

Other adverse effects No information available.

# **SECTION 12: Ecological information**

12.1. Toxicity

**Ecotoxicity** 

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
RED OXIDE C.I. PIGMENT RED	-	LC50: =100000mg/L	-	-
101		(96h, Danio rerio)		
Trimethylolpropane	-	-	-	EC50: =13000mg/L
				(48h, Daphnia species)
				EC50: 10330 -
				16360mg/L (48h,
				Daphnia magna)

### 12.2. Persistence and degradability

Persistence and degradability

No information available.

#### 12.3. Bioaccumulative potential

#### **Bioaccumulation**

Component Information

Component information		
Chemical name	Partition coefficient	
Trimethylolpropane	-0.47	

# 12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB above the

threshold of declaration.

Chemical name	PBT and vPvB assessment
TITANIUM DIOXIDE	Not PBT/vPvB
C.I. PIGMENT BLACK 11	Not PBT/vPvB
RED OXIDE C.I. PIGMENT RED 101	Not PBT/vPvB
Trimethylolpropane	Not PBT/vPvB

# 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

# 12.7. Other adverse effects

No information available.

PMT or vPvM properties Based on available data, the classification criteria are not met.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

# **SECTION 14: Transport information**

IATA
------

14.1	UN number or ID number	Not regulated
14.2	UN proper shipping name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazards	Not applicable

14.6 Special precautions for user

**Special Provisions** None

# <u>IMDG</u>

14.1	UN number or ID number	Not regulated
14.2	UN proper shipping name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated
	Environmental hazards	Not applicable

14.6 Special precautions for user

**Special Provisions** None

14.7 Maritime transport in bulk No information available according to IMO instruments

# <u>RID</u>

mber or ID number	Not regulated
oper shipping name	Not regulated
port hazard class(es)	Not regulated
ng group	Not regulated
onmental hazards	Not applicable
	oper shipping name port hazard class(es) ng group

14.6 Special precautions for user

**Special Provisions** None

# ADR ....

14.1	UN number or ID number	Not regulated
14.2	UN proper shipping name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazards	Not applicable

14.6 Special precautions for user

**Special Provisions** None

# ADN

ADIA		
14.1	UN number or ID number	Not regulated
14.2	UN proper shipping name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazard	Not applicable
14.6	Special precautions for user	

**Special Provisions** None

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# National regulations

# France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	
RED OXIDE C.I. PIGMENT RED 101 - 1309-37-1	RG 44,RG 44bis,RG 94	

This product is subject to requirements and restrictions regarding handling and delivery **Chemical Prohibition Ordinance** 

# (ChemVerbotsV)

TRGS 905 Not applicable

#### **Switzerland**

Ordinance on the Incentive Tax on Volatile Organic Compounds (OVOC) SR 814.018 Not applicable

Storage of Hazardous Material SC Non-hazardous material

WPO (GSchV) SR 814.201; WPA (GSchG) SR 814.20

Not applicable

Major Accidents Ordinance SR 814.012

Not applicable

### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

#### Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name		Restricted substance per REACH	Substance subject to authorization per
		Annex XVII	REACH Annex XIV
	TITANIUM DIOXIDE - 13463-67-7	75	-
	RED OXIDE C.I. PIGMENT RED 101 - 1309-37-1	Use restricted. See entry 75.	-

#### **Persistent Organic Pollutants**

Not applicable

#### Ozone-depleting substances (ODS) Regulation (EU) 2024/590

Not applicable.

#### **Explosives Precursors Marketing and Use (2019/1148)**

Not applicable

### **International Inventories**

**TSCA** Contact supplier for inventory compliance status DSL/NDSL Contact supplier for inventory compliance status Contact supplier for inventory compliance status **EINECS/ELINCS** Contact supplier for inventory compliance status **ENCS** Contact supplier for inventory compliance status **IECSC** Contact supplier for inventory compliance status **KECL** Contact supplier for inventory compliance status **PICCS** Contact supplier for inventory compliance status AIIC **NZIoC** Contact supplier for inventory compliance status TCSI Contact supplier for inventory compliance status

# Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing Chemicals Inventory

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**AIIC** - Australian Inventory of Industrial Chemicals **NZIOC** - New Zealand Inventory of Chemicals

TCSI - Taiwan Chemical Substance Inventory

# 15.2. Chemical safety assessment

Chemical Safety Report No information available

# **SECTION 16: Other information**

# Key or legend to abbreviations and acronyms used in the safety data sheet

# Full text of any hazard and/or precautionary statements referred to under Sections 2-15

H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child

#### Legend

SVHC: Substances of Very High Concern for Authorization:

#### Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk\* Skin designation

+ Sensitizers

Classification procedure		
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used	
Acute oral toxicity	Calculation method	
Acute dermal toxicity	Calculation method	
Acute inhalation toxicity - gas	Calculation method	
Acute inhalation toxicity - vapor	Calculation method	
Acute inhalation toxicity - dust/mist	Calculation method	
Skin corrosion/irritation	Calculation method	
Serious eye damage/eye irritation	Calculation method	
Respiratory sensitization	Calculation method	
Skin sensitization	Calculation method	
Mutagenicity	Calculation method	
Carcinogenicity	Calculation method	
Reproductive toxicity	Calculation method	
STOT - single exposure	Calculation method	
STOT - repeated exposure	Calculation method	
Chronic aquatic toxicity	Calculation method	
Acute aquatic toxicity	Calculation method	
Aspiration hazard	Calculation method	
Ozone	Calculation method	

# Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)

European Chemicals Agency (ECHA) (ECHA\_API)

**Environmental Protection Agency** 

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

**Revision date** 

13-08-2025

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Disclaimer

The information contained within this document is presented in good faith and is believed to be correct. West and Senior Limited makes no representation as to the accuracy and/or completeness of this information. This information is issued on the condition that the user will determine the safety and suitability of products for their purposes prior to use. All technical details and values presented are deemed typical and do not constitute a delivery specification.

**End of Safety Data Sheet**