



WEST & SENIOR LTD

Revision date 13-05-2025

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and  
Regulation (EC) No. 1272/2008 Including amendments

Revision Number 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product Name** PEPU FASCOL EMERALD PIGMENT  
**Product Code(s)** WS40513A  
**Safety data sheet number** 40153  
**Unique Formula Identifier (UFI)** R96K-739A-600T-TD8H  
**Pure substance/mixture** Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** Colouring of PU systems for CASE applications. For industrial use only.

### 1.3. Details of the supplier of the safety data sheet

Importer	Supplier
WSEU LIMITED	West & Senior Ltd
The Penthouse Floor	Milltown Street
5 Lapps Quay	Radcliffe
Cork	Manchester
Ireland	M26 1WE
T12 RW7D	UK

For further information, please contact

**E-mail address** info@westsenior.co.uk

**Non-Emergency Telephone Number** + 44 01617247131

### 1.4. Emergency telephone number

**Emergency Telephone** +44 0161 724 7131 Only available 8am to 4pm, Monday to Friday (UK Time Zone)

**Emergency Telephone - §45 - (EC)1272/2008**

**Europe** 112

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

### 2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

**Hazard statements**

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP].

EUH210 - Safety data sheet available on request.

EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

**2.3. Other hazards**

**Other hazards** No information available.

**PBT & vPvB** None known.

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors.

**SECTION 3: Composition/information on ingredients****3.1 Substances**

Not applicable

**3.2 Mixtures**

Chemical name	CAS No.	Weight-%	REACH registration number	EC No. (Index No.)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
TITANIUM DIOXIDE	13463-67-7	10-30%	01-21194893 79-17-0000	236-675-5	No data available	-	-	-
C.I. PIGMENT GREEN 7	1328-53-6	5-10%	01-21194593 33-39-0000	215-524-7	No data available	-	-	-
C.I. PIGMENT BLACK 11	1317-61-9	1-5%	01-21194576 46-28-0000	215-277-5	No data available	-	-	-
C.I. PIGMENT YELLOW 13	5102-83-0	1-5%	01-21194754 51-39-0000	225-822-9	No data available	-	-	-

**Full text of H- and EUH-phrases: see section 16**

**Acute Toxicity Estimate**

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
TITANIUM DIOXIDE 13463-67-7	10000	No data available	5.0951	No data available	No data available
C.I. PIGMENT GREEN 7 1328-53-6	5000	No data available	No data available	No data available	No data available
C.I. PIGMENT BLACK 11 1317-61-9	10000	No data available	No data available	No data available	No data available
C.I. PIGMENT YELLOW 13 5102-83-0	5000	3000	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

**Additional information**

This mixture contains  $\geq 1\%$  Titanium Dioxide (CAS 13463-67-7) The Annex VI classification of Titanium Dioxide does not apply to this mixture according to its Note 10.

**SECTION 4: First aid measures****4.1. Description of first aid measures**

Inhalation	Remove to fresh air.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.
Ingestion	Rinse mouth.

**4.2. Most important symptoms and effects, both acute and delayed**

Symptoms	No information available.
Effects of Exposure	No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

Note to physicians	Treat symptomatically.
--------------------	------------------------

**SECTION 5: Firefighting measures****5.1. Extinguishing media**

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.

**5.2. Special hazards arising from the substance or mixture**

Specific hazards arising from the chemical	No information available.
--	---------------------------

**5.3. Advice for firefighters**

Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
--	--

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Ensure adequate ventilation.

**For emergency responders** Use personal protection recommended in Section 8.

### 6.2. Environmental precautions

**Environmental precautions** See Section 12 for additional Ecological Information.

### 6.3. Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Take up mechanically, placing in appropriate containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

### 6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

**Advice on safe handling** Ensure adequate ventilation.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep container tightly closed in a dry and well-ventilated place.

**Storage class (TRGS 510)** Storage class 10.

### 7.3. Specific end use(s)

**Risk Management Methods (RMM)** No information available.

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### **Exposure Limits**

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
TITANIUM DIOXIDE 13463-67-7	-	TWA-TMW: 5 mg/m <sup>3</sup> ; alveolar dust, respirable fraction STEL-KZGW: 10 mg/m <sup>3</sup> (2 X 60 min); alveolar dust, respirable fraction	TWA: 10 mg/m <sup>3</sup> ;	TWA: 10.0 mg/m <sup>3</sup> ; respirable dust	TWA-GVI: 10 mg/m <sup>3</sup> ; total dust, inhalable particles TWA-GVI: 4 mg/m <sup>3</sup> ; respirable dust
C.I. PIGMENT GREEN 7	-	TWA: 1 mg/m <sup>3</sup>	-	-	-

1328-53-6		TWA: 0.1 mg/m <sup>3</sup> STEL 4 mg/m <sup>3</sup> STEL 0.4 mg/m <sup>3</sup>			
C.I. PIGMENT BLACK 11 1317-61-9	-	-	-	TWA: 5.0 mg/m <sup>3</sup> TWA: 6.0 mg/m <sup>3</sup>	-
Natural Calcium Carbonate 1317-65-3	-	-	TWA: 10 mg/m <sup>3</sup>	TWA: 1.0 fiber/cm <sup>3</sup> TWA: 10 mg/m <sup>3</sup>	-
SILICA (CRYSTALLINE) 14808-60-7	TWA: 0.1 mg/m <sup>3</sup> ;	TWA-TMW: 0.05 mg/m <sup>3</sup> ; alveolar dust, respirable fraction	TWA: 0.1 mg/m <sup>3</sup> ; alveolar dust TWA: 0.05 mg/m <sup>3</sup> ;	TWA: 0.1 mg/m <sup>3</sup> ; respirable fraction	TWA-GVI: 0.1 mg/m <sup>3</sup> ; respirable dust; respirable particle
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
TITANIUM DIOXIDE 13463-67-7	-	-	TWA: 6 mg/m <sup>3</sup> ; STEL: 12 mg/m <sup>3</sup> ;	TWA: 5 mg/m <sup>3</sup> ;	-
C.I. PIGMENT GREEN 7 1328-53-6	-	-	-	-	TWA: 0.02 mg/m <sup>3</sup>
C.I. PIGMENT BLACK 11 1317-61-9	-	TWA: 10 mg/m <sup>3</sup>	-	-	-
Natural Calcium Carbonate 1317-65-3	-	TWA: 10.0 mg/m <sup>3</sup>	-	TWA: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	-
SILICA (CRYSTALLINE) 14808-60-7	TWA: 0.1 mg/m <sup>3</sup> ; respirable dust fraction	TWA: 0.1 mg/m <sup>3</sup> ; dust	TWA: 0.3 mg/m <sup>3</sup> ; total TWA: 0.1 mg/m <sup>3</sup> ; respirable STEL: 0.6 mg/m <sup>3</sup> ; total STEL: 0.2 mg/m <sup>3</sup> ; respirable	TWA: 0.1 mg/m <sup>3</sup> ; inhalable dust	TWA: 0.05 mg/m <sup>3</sup> ; respirable dust
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
TITANIUM DIOXIDE 13463-67-7	TWA-VME: 10 mg/m <sup>3</sup> ;	TWA-AGW; 1.25 mg/m <sup>3</sup> (exposu re factor 2); respirable fraction TWA-AGW; 10 mg/m <sup>3</sup> (exposure factor 2); inhalable fraction	TWA-MAK: 0.3 mg/m <sup>3</sup> ; II(8); respira ble fraction Peak: 2.4 mg/m <sup>3</sup> ; respirable fraction	TWA: 10 mg/m <sup>3</sup> ; inhalable fraction TWA: 5 mg/m <sup>3</sup> ; respirable fraction	-
C.I. PIGMENT GREEN 7 1328-53-6	-	-	-	-	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.2 mg/m <sup>3</sup>
C.I. PIGMENT YELLOW 13 5102-83-0	-	-	TWA: 0.3 mg/m <sup>3</sup> Peak: 2.4 mg/m <sup>3</sup>	-	-
Natural Calcium Carbonate 1317-65-3	-	-	-	TWA: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
SILICA (CRYSTALLINE) 14808-60-7	TWA-VME: 0.1 mg/m <sup>3</sup> ; alveolar fraction	-	-	TWA: 0.1 mg/m <sup>3</sup> ; respirable dust fraction	TWA-AK: 0.1 mg/m <sup>3</sup> ; respirable fraction
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
TITANIUM DIOXIDE 13463-67-7	TWA: 10 mg/m <sup>3</sup> ; total inhalable dust TWA: 4 mg/m <sup>3</sup> ; respirable dust STEL: 30 mg/m <sup>3</sup> (calculated); respirable dust STEL: 12 mg/m <sup>3</sup> (calculated);	-	TWA: 10 mg/m <sup>3</sup> ;	TWA: 10 mg/m <sup>3</sup> ;	TWA-IPRD: 5 mg/m <sup>3</sup> ;
C.I. PIGMENT GREEN 7 1328-53-6	-	-	TWA: 1 mg/m <sup>3</sup>	-	-
Natural Calcium Carbonate	TWA: 10 mg/m <sup>3</sup>	-	-	-	-

1317-65-3	TWA: 4 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup>				
Trimethylolpropane 77-99-6	-	-	-	-	Ceiling: 5 ppm
SILICA (CRYSTALLINE) 14808-60-7	TWA: 0.1 mg/m <sup>3</sup> ; respirable dust STEL: 0.3 mg/m <sup>3</sup> ;	TWA: 0.1 mg/m <sup>3</sup> ; respirable fraction	TWA: 0.025 mg/m <sup>3</sup> ; respirable fraction	-	TWA-IPRD: 0.1 ppm; respirable fraction
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
TITANIUM DIOXIDE 13463-67-7	-	-	-	TWA: 5 mg/m <sup>3</sup> ; STEL: 10 mg/m <sup>3</sup> (value calculated);	TWA-NDS: 10 mg/m <sup>3</sup> ; inhalable fraction STEL-NDSCh: 30 mg/m <sup>3</sup> ;
C.I. PIGMENT BLACK 11 1317-61-9	-	-	-	-	TWA: 5 mg/m <sup>3</sup> TWA: 2.5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup> STEL: 5 mg/m <sup>3</sup>
SILICA (CRYSTALLINE) 14808-60-7	-	-	TWA: 0.075 mg/m <sup>3</sup> ; respirable fraction	TWA: 0.05 mg/m <sup>3</sup> ; respirable dust TWA: 0.3 mg/m <sup>3</sup> ; total dust STEL: 0.9 mg/m <sup>3</sup> (value calculated;dust containing .alpha.-Quartz, Cristobalite and/or Tridymite is evaluated by summation formula. At the same time, the values for Nuisance dust must be observed); total dust STEL: 0.15 mg/m <sup>3</sup> (value calculated;dust containing .alpha.-Quartz, Cristobalite and/or Tridymite is evaluated by summation formula. At the same time, the values for Nuisance dust must be observed); respirable dust	TWA-NDS: 0.1 mg/m <sup>3</sup> ; respirable fraction
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
TITANIUM DIOXIDE 13463-67-7	TWA (VLE-MP): 10 mg/m <sup>3</sup> ;	TWA: 10 mg/m <sup>3</sup> ; STEL: 15 mg/m <sup>3</sup> ;	TWA: 5 mg/m <sup>3</sup> ;	-	TWA-(VLA-ED): 10 mg/m <sup>3</sup> ;
C.I. PIGMENT GREEN 7 1328-53-6	-	-	-	-	TWA: 0.01 mg/m <sup>3</sup>
C.I. PIGMENT BLACK 11 1317-61-9	-	-	TWA: 4 mg/m <sup>3</sup>	-	-
C.I. PIGMENT YELLOW 13 5102-83-0	-	-	TWA: 8 mg/m <sup>3</sup> STEL: 40 mg/m <sup>3</sup>	-	-

Natural Calcium Carbonate 1317-65-3	-	TWA: 10 mg/m <sup>3</sup>	-	-	-
SILICA (CRYSTALLINE) 14808-60-7	TWA (VLE-MP): 0.025 mg/m <sup>3</sup> ; respirable fraction	TWA: 0.1 mg/m <sup>3</sup> ; dust, respirable fraction	TWA: 0.1 mg/m <sup>3</sup> ; STEL: 0.5 mg/m <sup>3</sup> ;	TWA: 0.05 mg/m <sup>3</sup> ; respirable fraction	TWA-(VLA-ED): 0.05 mg/m <sup>3</sup> ; respirable fraction
Chemical name	Sweden		Switzerland		United Kingdom
TITANIUM DIOXIDE 13463-67-7	TLV-NGV: 5 mg/m <sup>3</sup> ; total dust		TWA-MAK: 3 mg/m <sup>3</sup> ; respirable dust TWA-MAK: 10 mg/m <sup>3</sup> ; inhalable dust		TWA: 10 mg/m <sup>3</sup> ; total inhalable TWA: 4 mg/m <sup>3</sup> ; respirable STEL: 30 mg/m <sup>3</sup> ; total inhalable STEL: 12 mg/m <sup>3</sup> ; respirable
C.I. PIGMENT GREEN 7 1328-53-6	-		-		TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>
Natural Calcium Carbonate 1317-65-3	-		-		TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup>
Trimethylolpropane 77-99-6	NGV: 5 mg/m <sup>3</sup>		-		-
SILICA (CRYSTALLINE) 14808-60-7	TLV-NGV: 0.1 mg/m <sup>3</sup> ; respirable fraction		TWA-MAK: 0.15 mg/m <sup>3</sup> ; respirable dust		TWA: 0.1 mg/m <sup>3</sup> ; respirable fraction STEL: 0.3 mg/m <sup>3</sup> ; respirable

**Biological occupational exposure limits**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

**Derived No Effect Level (DNEL) - Workers**

Chemical name	Oral	Dermal	Inhalation
C.I. PIGMENT BLACK 11 1317-61-9	-	-	10 mg/m <sup>3</sup> [5] [6]
C.I. PIGMENT YELLOW 13 5102-83-0	-	45 mg/kg bw/day [4] [6]	3 mg/m <sup>3</sup> [5] [6]
Trimethylolpropane 77-99-6	-	0.94 mg/kg bw/day [4] [6]	3.3 mg/m <sup>3</sup> [4] [6]

**Notes**

- [4] Systemic health effects.  
 [5] Local health effects.  
 [6] Long term.

**Derived No Effect Level (DNEL) - General Public**

Chemical name	Oral	Dermal	Inhalation
C.I. PIGMENT YELLOW 13 5102-83-0	28 mg/kg bw/day [4] [6]	-	-
Trimethylolpropane 77-99-6	0.34 mg/kg bw/day [4] [6]	-	0.58 mg/m <sup>3</sup> [4] [6]

**Notes**

- [4] Systemic health effects.  
 [6] Long term.

**Predicted No Effect Concentration (PNEC)**

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
TITANIUM DIOXIDE 13463-67-7	0.127 mg/l	0.61 mg/l	1 mg/l	0.61 mg/l	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
TITANIUM DIOXIDE 13463-67-7	1000 mg/kg sediment dw	100 mg/kg sediment dw	100 mg/L	100 mg/kg soil dw	-

**8.2. Exposure controls**

**Engineering controls** No information available.

**Personal protective equipment**

**Eye/face protection** Appropriate eye/face protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction.

**Hand protection** Wear chemically resistant gloves (tested in accordance to EN 374-1 Type C or greater to be assessed by local risk assessment and physical activity) in combination with employee training. Glove material : Neoprene , Nitriles. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

**Skin and body protection** Appropriate skin and body protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction.

**Respiratory protection** Appropriate respiratory protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** No information available.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

**Appearance** Coloured paste  
**Physical state** Liquid  
**Color** green  
**Odor** Sweetish  
**Odor threshold** No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>Melting point / freezing point</b>	No data available	None known
<b>Boiling point or initial boiling point and boiling range</b>	> 100 °C	>100°C @ 760 mm Hg, Estimated value



Flammability	No data available	None known
Lower and upper explosion limit/flammability limit		None known
Lower explosion limit	No data available	
Upper explosion limit	No data available	
Flash point	> 182 °C	Closed cup
Autoignition temperature	No data available	None known
Decomposition temperature		None known
SADT (°C)	No data available	None known
pH	No data available	None known
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Solubility	No data available	None known
Water solubility	No data available	None known
Partition coefficient n-octanol/water (log value)	No data available	None known
Vapor pressure	No data available	None known
Density and/or relative density	No data available	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapor density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

## 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

No information available

Explosive properties	Not considered to be explosive
Oxidizing properties	No

### 9.2.2. Other safety characteristics

No information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity	No information available.
------------	---------------------------

### 10.2. Chemical stability

Stability	Stable under normal conditions.
-----------	---------------------------------

#### Explosion data

Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	None under normal processing.
------------------------------------	-------------------------------

### 10.4. Conditions to avoid

Conditions to avoid	None known based on information supplied.
---------------------	---

### 10.5. Incompatible materials

**Incompatible materials** None known based on information supplied.

#### 10.6. Hazardous decomposition products

**Hazardous decomposition products** This product contains a diaryl pigment. This product should not be used if the processing temperature exceeds 200°C because of possible thermal decomposition, which can, with prolonged exposure or further increased temperature, form e.g. traces of aromatic amines. 3,3'-Dichloro-benzidine.

### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Information on likely routes of exposure

##### **Product Information**

<b>Inhalation</b>	Specific test data for the substance or mixture is not available.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available.
<b>Skin contact</b>	Specific test data for the substance or mixture is not available.
<b>Ingestion</b>	Specific test data for the substance or mixture is not available.

##### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

**Acute toxicity** Based on available data, the classification criteria are not met.

##### Numerical measures of toxicity

The following ATE values have been calculated for the mixture

ATEmix (oral)	10,385.80 mg/kg
ATEmix (dermal)	99,999.00 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-vapor)	99,999.00 mg/l
ATEmix (inhalation-dust/mist)	99,999.00 mg/l

##### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
TITANIUM DIOXIDE	> 2000 mg/kg ( Rat )	-	> 5.09 mg/L ( Rat ) 4 h
C.I. PIGMENT GREEN 7	> 5000 mg/kg ( Rat )	-	-
C.I. PIGMENT BLACK 11	> 10000 mg/kg ( Rat )	-	-
C.I. PIGMENT YELLOW 13	> 5 g/kg ( Rat )	> 3000 mg/kg ( Rat )	> 4250 mg/L ( Rat ) 4 h

##### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Serious eye damage/eye irritation** Based on available data, the classification criteria are not met.

**Respiratory or skin sensitization** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT - single exposure** Based on available data, the classification criteria are not met.

**STOT - repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

## **11.2. Information on other hazards**

### **11.2.1. Endocrine disrupting properties**

**Endocrine disrupting properties** Based on available data, the classification criteria are not met.

### **11.2.2. Other information**

**Other adverse effects** No information available.

## **SECTION 12: Ecological information**

### **12.1. Toxicity**

#### **Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
C.I. PIGMENT GREEN 7	-	LC50: =752.4mg/L (96h, Lepomis macrochirus)	-	-

### **12.2. Persistence and degradability**

**Persistence and degradability** No information available.

### **12.3. Bioaccumulative potential**

#### **Bioaccumulation**

#### **Component Information**

Chemical name	Partition coefficient
C.I. PIGMENT GREEN 7	-0.4
C.I. PIGMENT YELLOW 13	1.8

### **12.4. Mobility in soil**

**Mobility in soil** No information available.

### **12.5. Results of PBT and vPvB assessment**

**PBT and vPvB assessment** The product does not contain any substance(s) classified as PBT or vPvB above the

threshold of declaration.

Chemical name	PBT and vPvB assessment
TITANIUM DIOXIDE	Not PBT/vPvB
C.I. PIGMENT GREEN 7	Not PBT/vPvB
C.I. PIGMENT BLACK 11	Not PBT/vPvB
C.I. PIGMENT YELLOW 13	Not PBT/vPvB

## 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

## 12.7. Other adverse effects

No information available.

**PMT or vPvM properties** Based on available data, the classification criteria are not met.

# SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

# SECTION 14: Transport information

## IATA

14.1 UN number or ID number Not regulated  
 14.2 UN proper shipping name Not regulated  
 14.3 Transport hazard class(es) Not regulated  
 14.4 Packing group Not regulated  
 14.5 Environmental hazards Not applicable  
 14.6 Special precautions for user  
     Special Provisions None

## IMDG

14.1 UN number or ID number Not regulated  
 14.2 UN proper shipping name Not regulated  
 14.3 Transport hazard class(es) Not regulated  
 14.4 Packing group Not regulated  
 14.5 Environmental hazards Not applicable  
 14.6 Special precautions for user  
     Special Provisions None  
 14.7 Maritime transport in bulk according to IMO instruments No information available

## RID

14.1 UN number or ID number Not regulated  
 14.2 UN proper shipping name Not regulated  
 14.3 Transport hazard class(es) Not regulated  
 14.4 Packing group Not regulated  
 14.5 Environmental hazards Not applicable  
 14.6 Special precautions for user  
     Special Provisions None

**ADR**

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

**ADN**

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazard	Not applicable
14.6 Special precautions for user	
Special Provisions	None

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Chemical Prohibition Ordinance (ChemVerbotsV)** This product is subject to requirements and restrictions regarding handling and delivery

**TRGS 905** Not applicable

**Switzerland**

**Ordinance on the Incentive Tax on Volatile Organic Compounds (OVOC) SR 814.018** Not applicable  
**Storage of Hazardous Material** SC Non-hazardous material  
**WPO (GSchV) SR 814.201; WPA (GSchG) SR 814.20** Not applicable  
**Major Accidents Ordinance SR 814.012** Not applicable

**European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

**Authorizations and/or restrictions on use:**

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
TITANIUM DIOXIDE - 13463-67-7	75	-
C.I. PIGMENT GREEN 7 - 1328-53-6	Use restricted. See entry 75.	-
C.I. PIGMENT YELLOW 13 - 5102-83-0	Use restricted. See entry 75.	-

**Persistent Organic Pollutants**

Not applicable

**Ozone-depleting substances (ODS) Regulation (EU) 2024/590**

Not applicable.

**Explosives Precursors Marketing and Use (2019/1148)**

Not applicable

**International Inventories**

<b>TSCA</b>	Contact supplier for inventory compliance status
<b>DSL/NDL</b>	Contact supplier for inventory compliance status
<b>EINECS/ELINCS</b>	Contact supplier for inventory compliance status
<b>ENCS</b>	Contact supplier for inventory compliance status
<b>IECSC</b>	Contact supplier for inventory compliance status
<b>KECL</b>	Contact supplier for inventory compliance status
<b>PICCS</b>	Contact supplier for inventory compliance status
<b>AIIC</b>	Contact supplier for inventory compliance status
<b>NZIoC</b>	Contact supplier for inventory compliance status
<b>TCSI</b>	Contact supplier for inventory compliance status

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing Chemicals Inventory  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AIIC** - Australian Inventory of Industrial Chemicals  
**NZIoC** - New Zealand Inventory of Chemicals  
**TCSI** - Taiwan Chemical Substance Inventory

**15.2. Chemical safety assessment**

**Chemical Safety Report** No information available

**SECTION 16: Other information****Key or legend to abbreviations and acronyms used in the safety data sheet****Legend**

SVHC: Substances of Very High Concern for Authorization:

**Legend Section 8: Exposure controls/personal protection**

<b>TWA</b>	TWA (time-weighted average)	<b>STEL</b>	STEL (Short Term Exposure Limit)
<b>Ceiling</b>	Maximum limit value	<b>Sk*</b>	Skin designation
<b>+</b>	Sensitizers		

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method

Skin sensitization	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Chronic aquatic toxicity	Calculation method
Acute aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

**Key literature references and sources for data used to compile the SDS**

Agency for Toxic Substances and Disease Registry (ATSDR)  
 U.S. Environmental Protection Agency ChemView Database  
 European Food Safety Authority (EFSA)  
 European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)  
 European Chemicals Agency (ECHA) (ECHA\_API)  
 Environmental Protection Agency  
 Acute Exposure Guideline Level(s) (AEGL(s))  
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
 U.S. Environmental Protection Agency High Production Volume Chemicals  
 Food Research Journal  
 Hazardous Substance Database  
 International Uniform Chemical Information Database (IUCLID)  
 National Institute of Technology and Evaluation (NITE)  
 Australian Industrial Chemicals Introduction Scheme (AICIS)  
 NIOSH (National Institute for Occupational Safety and Health)  
 National Library of Medicine's ChemID Plus (NLM CIP)  
 National Library of Medicine's PubMed database (NLM PUBMED)  
 U.S. National Toxicology Program (NTP)  
 New Zealand's Chemical Classification and Information Database (CCID)  
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
 Organization for Economic Co-operation and Development Screening Information Data Set  
 World Health Organization

Revision date 13-05-2025

**Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)****Disclaimer**

The information contained within this document is presented in good faith and is believed to be correct. West and Senior Limited makes no representation as to the accuracy and/or completeness of this information. This information is issued on the condition that the user will determine the safety and suitability of products for their purposes prior to use. All technical details and values presented are deemed typical and do not constitute a delivery specification.

**End of Safety Data Sheet**