

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and Regulation (EC) No. 1272/2008 Including amendments

Revision date 09-09-2025

Revision Number 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name PY FASCOL SIGNAL RED PIGMENT

Product Code(s) WS40009A

Safety data sheet number 40037

Unique Formula Identifier (UFI) 3CVJ-H378-P00D-2SNY

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Polyester pigment for composites. For industrial use only.***

1.3. Details of the supplier of the safety data sheet

<u>Importer</u> <u>Supplier</u>

WSEU LIMITED
West & Senior Ltd
The Penthouse Floor
Milltown Street
5 Lapps Quay
Radcliffe
Cork
Manchester
Ireland
M26 1WE
T12 RW7D
UK

For further information, please contact

E-mail address info@westsenior.co.uk

Non-Emergency Telephone Number + 44 01617247131

1.4. Emergency telephone number

Emergency Telephone +44 0161 724 7131 Only available 8am to 4pm, Monday to Friday (UK Time Zone)

Emergency Telephone - §45 - (EC)	272/2008
Europe	112
Austria	24hr Emergency number +43 1 406 43 43
Belgium	070 245 245
Denmark	+45 8212 1212
Finland	0800 147 111 (the call is free of charge)09 471 977 (normal price)
France	ORFILA number: + 33 (0)1 45 42 59 59
Ireland	7 days a week 8am-10pm - 01 809 2166
Lithuania	Apsinuodijimų kontrolės ir informacijos biuro tel. Nr. +370 (85) 2362052
Netherlands	NVIC: +31 (0)88 755 8000: Only for the purpose of informing medical personnel in case of acute intoxications' or in Dutch: 'Uitsluitend bestemd om professionele hulpverleners te informeren bij acute vergiftigingen.
Norway	22 59 13 00
Portugal	Portugal CIAV phone number: +351 800 250 250

Spain	National Emergency Telephone Number of Spanish Poison Centre: + 34 91 562 04 20 The
	information will be provided in Spanish (available 24/7): health personnel & general public
	(poisoning cases).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]***

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]***

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP].***

EUH210 - Safety data sheet available on request.

EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.***

2.3. Other hazards

Other hazards No information available.

PBT & vPvB None known.

Endocrine Disruptor InformationThis product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable***

3.2 Mixtures***

Chemical name	CAS No.	Weight-%	REACH	EC No.	Classification	Specific	M-Factor	M-Factor
			registration	(Index No.)	according to	concentration		(long-term)
			number		Regulation	limit (SCL)		
					(EC) No.			
					1272/2008			
					[CLP]			
BARIUM	7727-43-7	10-30%	01-21194912	231-784-4	No data	-	-	-
SULPHATE***			74-35-0001	(056-002-00-	available			
				7)***				
TITANIUM	13463-67-7	1-5%	01-21194893	236-675-5	No data	-	-	-
DIOXIDE***			79-17-0000		available			

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components***

Revision date	09-09-2025
---------------	------------

Chemical name	Oral LD50 mg/kg		Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
BARIUM SULPHATE*** 7727-43-7	307000	No data available	No data available	No data available	No data available
TITANIUM DIOXIDE*** 13463-67-7	10000	No data available	5.0951***	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Additional information

This mixture contains ≥ 1% Titanium Dioxide (CAS 13463-67-7) The Annex VI classification of Titanium Dioxide does not apply to this mixture according to its Note 10.***

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contactWash skin with soap and water. In the case of skin irritation or allergic reactions see a

physician.

Ingestion Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Effects of Exposure No information available.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

surrounding environment.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

No information available.

5.3. Advice for firefighters

Page 3 / 16

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upTake up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place.

Storage class (TRGS 510) Storage class 10.***

7.3. Specific end use(s)

Risk Management Methods (RMM) No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits ***

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
BARIUM SULPHATE***	-	-	TWA: 5 mg/m ³ ;***	TWA: 10.0	TWA-GVI:

		,			•
7727-43-7				mg/m³;***	10 mg/m³; total dust,
					inhalable particles
					TWA-GVI: 4 mg/m ³ ; respirable dust***
TITANIUM DIOXIDE***		TWA-TMW:	TWA: 10 mg/m ³ ;***	TWA: 10.0 mg/m ³ ;	TWA-GVI:
13463-67-7	-	5 mg/m ³ ; alveolar	TVVA. 10 mg/m²,	respirable dust***	10 mg/m ³ ; total dust,
15405-01-1		dust, respirable		respirable dust	inhalable particles
		fraction			TWA-GVI: 4 mg/m ³ ;
		STEL-KZGW: 10			respirable dust***
		mg/m ³ (2 X 60 min);			
		alveolar dust,			
		respirable fraction***			
CARBON BLACK	-	-	TWA: 3 mg/m ³	-	TWA: 3.5 mg/m ³
1333-86-4		TIA/A TRAIA/			STEL: 7 mg/m ³
SILICON DIOXIDE 112945-52-5	-	TWA-TMW: 4 mg/m³; inhalable	-	-	-
112945-52-5		fraction***			
SILICA (CRYSTALLINE)	TWA: 0.1 mg/m ³ ;	TWA-TMW:	TWA: 0.1 mg/m ³ ;	TWA: 0.1 mg/m ³ ;	TWA-GVI:
14808-60-7	1 v v v v v v v v v v v v v v v v v v	0.05 mg/m³; alveolar		respirable fraction	0.1 mg/m ³ ;
		dust, respirable	TWA: 0.05 mg/m ³ ;		respirable dust;
		fraction	3		respirable particle
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
TITANIUM DIOXIDE*** 13463-67-7	-	-	TWA: 6 mg/m ³ ; STEL: 12 mg/m ³ ;***	TWA: 5 mg/m ³ ;***	-
CARBON BLACK	_	TWA: 2.0 mg/m ³	TWA: 3.5 mg/m ³	TWA: 3 mg/m ³	TWA: 3.5 mg/m ³
1333-86-4			STEL: 7 mg/m ³	3	STEL: 7 mg/m ³
SILICON DIOXIDE	-	TWA: 0.1 mg/m ³ ;	-	TWA: 2 mg/m ³ ;	TWA: 5 mg/m ³ ;***
112945-52-5		respirable fraction		respirable dust***	
		TWA: 4.0 mg/m ³ ;***			
SILICA (CRYSTALLINE)	TWA: 0.1 mg/m ³ ;	TWA: 0.1 mg/m ³ ;	TWA: 0.3 mg/m ³ ;	TWA: 0.1 mg/m ³ ;	TWA: 0.05 mg/m ³ ;
14808-60-7	respirable dust	dust	total	inhalable dust	respirable dust
	fraction		TWA: 0.1 mg/m³; respirable		
			STEL: 0.6 mg/m ³ ;		
			total		
			STEL: 0.2 mg/m ³ ;		
			respirable		
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
BARIUM SULPHATE***	-	TWA-AGW;	TWA-MAK: 0.3	-	-
7727-43-7			mg/m³; II(8);respira		
		re factor 2);	ble fraction		
		respirable fraction TWA-AGW;	TWA-MAK: 4 mg/m³; ;inhalable		
		10 mg/m ³ (exposure			
		factor 2); inhalable	Peak: 2.4 mg/m ³ ;		
		fraction***	respirable fraction***		
TITANIUM DIOXIDE***	TWA-VME: 10	TWA-AGW;	TWA-MAK: 0.3	TWA: 10 mg/m ³ ;	-
13463-67-7	mg/m³;***		mg/m ³ ; II(8);respira	inhalable fraction	
		re factor 2);	ble fraction	TWA: 5 mg/m ³ ;	
		respirable fraction	Peak: 2.4 mg/m ³ ;	respirable fraction***	
		TWA-AGW;	respirable fraction***		
		10 mg/m³ (exposure factor 2); inhalable			
	1		l		
		fraction***			
CARBON BLACK	TWA: 3.5 ma/m ³	fraction***	-	TWA: 3.5 ma/m ³	TWA: 3 ma/m³
CARBON BLACK 1333-86-4	TWA: 3.5 mg/m ³	fraction***	-	TWA: 3.5 mg/m ³ STEL: 7 mg/m ³	TWA: 3 mg/m ³
	TWA: 3.5 mg/m ³	- TWA-AGW;	- TWA-MAK: 0.02		TWA: 3 mg/m ³
1333-86-4	TWA: 3.5 mg/m ³	-	TWA-MAK: 0.02 mg/m³; II(8);respira ble fraction		TWA: 3 mg/m³

		fraction***	Peak: 0.16 mg/m³; respirable fraction***		
SILICA (CRYSTALLINE) 14808-60-7	TWA-VME: 0.1 mg/m³; alveolar fraction	-	-	TWA: 0.1 mg/m³; respirable dust fraction	TWA-AK: 0.1 mg/m³; respirable fraction
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
BARIUM SULPHATE*** 7727-43-7	TWA: 5 mg/m³; respirable dust STEL: 15 mg/m³ (calculated); respirable dust***	-	TWA: 5 mg/m³; inhalable fraction***	-	-
TITANIUM DIOXIDE*** 13463-67-7	TWA: 10 mg/m³; total inhalable dust TWA: 4 mg/m³; respirable dust STEL: 30 mg/m³ (calculated); respirable dust STEL: 12 mg/m³ (calculated);*	-	TWA: 10 mg/m ³ ,***	TWA: 10 mg/m ³ ;***	TWA-IPRD: 5 mg/m³;***
CARBON BLACK	TWA: 3 mg/m ³	-	TWA: 3 mg/m ³	-	-
1333-86-4	STEL: 15 mg/m ³				
SILICON DIOXIDE 112945-52-5	TWA: 6 mg/m³; total inhalable dust TWA: 2.4 mg/m³; respirable dust STEL: 18 mg/m³ (calculated); respirable dust STEL: 7.2 mg/m³ (calculated); respirable dust***		-	TWA: 1 mg/m ³ ;***	-
SILICA (CRYSTALLINE) 14808-60-7	TWA: 0.1 mg/m³; respirable dust STEL: 0.3 mg/m³;	TWA: 0.1 mg/m³; respirable fraction	TWA: 0.025 mg/m³; respirable fraction	-	TWA-IPRD: 0.1 ppm; respirable fraction
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
BARIUM SULPHATE*** 7727-43-7	-	-	-	TWA: 0.5 mg/m³; STEL: 1.5 mg/m³ (except Barium sulfate;value calculated);***	-
TITANIUM DIOXIDE*** 13463-67-7	-	-	-	TWA: 5 mg/m³; STEL: 10 mg/m³ (value calculated);***	TWA-NDS: 10 mg/m³; inhalable fraction STEL-NDSCh: 30 mg/m³;***
CARBON BLACK 1333-86-4	-	-	-	TWA: 3.5 mg/m ³ STEL: 7 mg/m ³	TWA: 4 mg/m ³
SILICON DIOXIDE 112945-52-5	-	-	-	TWA: 1.5 mg/m³; respirable dust STEL: 3 mg/m³ (value calculated); respirable dust***	-
SILICA (CRYSTALLINE) 14808-60-7	-	-	TWA: 0.075 mg/m³; respirable fraction	TWA: 0.05 mg/m³; respirable dust TWA: 0.3 mg/m³; total dust	TWA-NDS: 0.1 mg/m³; respirable fraction

İ					STEL		
					mg/m ³		
					calculat	•	
					conta	iining	
					.alpha		
					Cristobali		
					Tridyn		
					evalua		
					summatio		
					At the sa	me time,	
					the val		
					Nuisance	dust must	
					be observ	, ,	
					du		
					STEL		
					mg/m ³		
					calculat		
					conta		
					.alpha		
					Cristobali		
					Tridyr		
					evalua		
					summatio		
					At the sa		
					the val		
					Nuisance		
					be obs		
Chamical name	Dortu	aal	Romania	Slovakia	respirat Slov		Spain
Chemical name BARIUM SULPHATE***	Portug		Kullialila	TWA: 4 mg/m ³ ;	SIOV	eriia	TWA-(VLA-ED): 10
7727-43-7			_		-	•	
		halabla		L inhalable fraction			ma/m3·***
1121 30-1	mg/m³; inl			inhalable fraction			mg/m³;***
1121 70-1	fraction			TWA: 1.5 mg/m ³ ;			mg/m³;***
	fraction	n***	TWA: 10 mg/m ³ :	TWA: 1.5 mg/m³; respirable fraction***			
TITANIUM DIOXIDE***	fraction	n*** ·MP): 10	TWA: 10 mg/m³;	TWA: 1.5 mg/m ³ ;	-		TWA-(VLA-ED): 10
TITANIUM DIOXIDE*** 13463-67-7	fraction TWA (VLE- mg/m ³	-MP): 10	TWA: 10 mg/m³; STEL: 15 mg/m³;***	TWA: 1.5 mg/m³; respirable fraction*** TWA: 5 mg/m³;***	-		TWA-(VLA-ED): 10 mg/m³;***
TITANIUM DIOXIDE*** 13463-67-7 CARBON BLACK	fraction	-MP): 10		TWA: 1.5 mg/m³; respirable fraction*** TWA: 5 mg/m³;*** TWA: 2 mg/m³	-		TWA-(VLA-ED): 10
TITANIUM DIOXIDE*** 13463-67-7 CARBON BLACK 1333-86-4	fraction TWA (VLE- mg/m ³	-MP): 10		TWA: 1.5 mg/m³; respirable fraction*** TWA: 5 mg/m³;*** TWA: 2 mg/m³ TWA: 10 mg/m³	- - -		TWA-(VLA-ED): 10 mg/m³;***
TITANIUM DIOXIDE*** 13463-67-7 CARBON BLACK 1333-86-4 SILICON DIOXIDE	fraction TWA (VLE- mg/m ³	-MP): 10		TWA: 1.5 mg/m³; respirable fraction*** TWA: 5 mg/m³;*** TWA: 2 mg/m³ TWA: 10 mg/m³ Ceiling: 0.3 mg/m³;	TWA: 4		TWA-(VLA-ED): 10 mg/m³;***
TITANIUM DIOXIDE*** 13463-67-7 CARBON BLACK 1333-86-4	fraction TWA (VLE- mg/m ³	-MP): 10		TWA: 1.5 mg/m³; respirable fraction*** TWA: 5 mg/m³;*** TWA: 2 mg/m³ TWA: 10 mg/m³	inhalable	fraction,	TWA-(VLA-ED): 10 mg/m³;***
TITANIUM DIOXIDE*** 13463-67-7 CARBON BLACK 1333-86-4 SILICON DIOXIDE 112945-52-5	fraction TWA (VLE- mg/m³ TWA: 3 r	n*** -MP): 10 i;*** mg/m ³	STEL: 15 mg/m³;*** - - -	TWA: 1.5 mg/m³; respirable fraction*** TWA: 5 mg/m³;*** TWA: 2 mg/m³ TWA: 10 mg/m³ Ceiling: 0.3 mg/m³; solid aerosol***	inhalable gel	fraction,	TWA-(VLA-ED): 10 mg/m³;*** TWA: 3.5 mg/m³
TITANIUM DIOXIDE*** 13463-67-7 CARBON BLACK 1333-86-4 SILICON DIOXIDE 112945-52-5 SILICA (CRYSTALLINE)	TWA (VLE-mg/m³ TWA: 3 r	MP): 10 i;*** mg/m ³	STEL: 15 mg/m ³ ;*** - - TWA: 0.1 mg/m ³ ;	TWA: 1.5 mg/m³; respirable fraction*** TWA: 5 mg/m³;*** TWA: 2 mg/m³ TWA: 10 mg/m³ Ceiling: 0.3 mg/m³; solid aerosol***	inhalable gel TWA: 0.0	fraction, *** 5 mg/m³;	TWA-(VLA-ED): 10 mg/m³;*** TWA: 3.5 mg/m³
TITANIUM DIOXIDE*** 13463-67-7 CARBON BLACK 1333-86-4 SILICON DIOXIDE 112945-52-5	TWA (VLE-mg/m³ TWA: 3 r - TWA (VLI-0.025 m	MP): 10 -MP): 10 	STEL: 15 mg/m³;*** - TWA: 0.1 mg/m³; dust, respirable	TWA: 1.5 mg/m³; respirable fraction*** TWA: 5 mg/m³;*** TWA: 2 mg/m³ TWA: 10 mg/m³ Ceiling: 0.3 mg/m³; solid aerosol***	inhalable gel	fraction, *** 5 mg/m³;	TWA-(VLA-ED): 10 mg/m³;*** TWA: 3.5 mg/m³ - TWA-(VLA-ED): 0.05 mg/m³;
TITANIUM DIOXIDE*** 13463-67-7 CARBON BLACK 1333-86-4 SILICON DIOXIDE 112945-52-5 SILICA (CRYSTALLINE) 14808-60-7	TWA (VLE-mg/m³ TWA: 3 r - TWA (VLI-0.025 m respirable	MP): 10 -MP): 10 	STEL: 15 mg/m³;*** - TWA: 0.1 mg/m³; dust, respirable fraction	TWA: 1.5 mg/m³; respirable fraction*** TWA: 5 mg/m³;*** TWA: 2 mg/m³ TWA: 10 mg/m³ Ceiling: 0.3 mg/m³; solid aerosol*** TWA: 0.1 mg/m³; STEL: 0.5 mg/m³;	inhalable gel TWA: 0.0 respirable	fraction, *** 5 mg/m³; e fraction	TWA-(VLA-ED): 10 mg/m³;*** TWA: 3.5 mg/m³ - TWA-(VLA-ED): 0.05 mg/m³; respirable fraction
TITANIUM DIOXIDE*** 13463-67-7 CARBON BLACK 1333-86-4 SILICON DIOXIDE 112945-52-5 SILICA (CRYSTALLINE) 14808-60-7 Chemical name	TWA (VLE-mg/m³ TWA: 3 r TWA (VLI-0.025 m respirable	MP): 10 -MP): 10 	STEL: 15 mg/m³;*** - TWA: 0.1 mg/m³; dust, respirable	TWA: 1.5 mg/m³; respirable fraction*** TWA: 5 mg/m³;*** TWA: 2 mg/m³ TWA: 10 mg/m³ Ceiling: 0.3 mg/m³; solid aerosol*** TWA: 0.1 mg/m³; STEL: 0.5 mg/m³;	inhalable gel TWA: 0.0 respirable	fraction, *** 5 mg/m³; e fraction	TWA-(VLA-ED): 10 mg/m³;*** TWA: 3.5 mg/m³ - TWA-(VLA-ED): 0.05 mg/m³; respirable fraction iited Kingdom
TITANIUM DIOXIDE*** 13463-67-7 CARBON BLACK 1333-86-4 SILICON DIOXIDE 112945-52-5 SILICA (CRYSTALLINE) 14808-60-7	TWA (VLE-mg/m³ TWA: 3 r TWA (VLI-0.025 m respirable	MP): 10 -MP): 10 	STEL: 15 mg/m³;*** - TWA: 0.1 mg/m³; dust, respirable fraction	TWA: 1.5 mg/m³; respirable fraction*** TWA: 5 mg/m³;*** TWA: 2 mg/m³ TWA: 10 mg/m³ Ceiling: 0.3 mg/m³; solid aerosol*** TWA: 0.1 mg/m³; STEL: 0.5 mg/m³;	inhalable gel TWA: 0.0 respirable ad ng/m³;	fraction, *** 5 mg/m³; e fraction	TWA-(VLA-ED): 10 mg/m³;*** TWA: 3.5 mg/m³ - TWA-(VLA-ED): 0.05 mg/m³; respirable fraction
TITANIUM DIOXIDE*** 13463-67-7 CARBON BLACK 1333-86-4 SILICON DIOXIDE 112945-52-5 SILICA (CRYSTALLINE) 14808-60-7 Chemical name BARIUM SULPHAT	TWA (VLE-mg/m³ TWA: 3 r TWA (VLI-0.025 m respirable	MP): 10 -MP): 10 	STEL: 15 mg/m³;*** - TWA: 0.1 mg/m³; dust, respirable fraction	TWA: 1.5 mg/m³; respirable fraction*** TWA: 5 mg/m³;*** TWA: 2 mg/m³ TWA: 10 mg/m³ Ceiling: 0.3 mg/m³; solid aerosol*** TWA: 0.1 mg/m³; STEL: 0.5 mg/m³; STEL: 0.5 mg/m³;	inhalable gel TWA: 0.0 respirable ad ng/m³; lust	fraction, *** 5 mg/m³; e fraction Ur TWA: 1	TWA-(VLA-ED): 10 mg/m³;*** TWA: 3.5 mg/m³ - TWA-(VLA-ED): 0.05 mg/m³; respirable fraction nited Kingdom 0 mg/m³; inhalable dust
TITANIUM DIOXIDE*** 13463-67-7 CARBON BLACK 1333-86-4 SILICON DIOXIDE 112945-52-5 SILICA (CRYSTALLINE) 14808-60-7 Chemical name BARIUM SULPHAT	TWA (VLE-mg/m³ TWA: 3 r TWA (VLI-0.025 m respirable	MP): 10 -MP): 10 	STEL: 15 mg/m³;*** - TWA: 0.1 mg/m³; dust, respirable fraction	TWA: 1.5 mg/m³; respirable fraction*** TWA: 5 mg/m³;*** TWA: 2 mg/m³ TWA: 10 mg/m³ Ceiling: 0.3 mg/m³; solid aerosol*** TWA: 0.1 mg/m³; STEL: 0.5 mg/m³;	inhalable gel TWA: 0.0 respirable nd ng/m³; lust mg/m³;	fraction, *** 5 mg/m³; e fraction Ur TWA: 1	TWA-(VLA-ED): 10 mg/m³;*** TWA: 3.5 mg/m³ - TWA-(VLA-ED): 0.05 mg/m³; respirable fraction ited Kingdom 0 mg/m³; inhalable
TITANIUM DIOXIDE*** 13463-67-7 CARBON BLACK 1333-86-4 SILICON DIOXIDE 112945-52-5 SILICA (CRYSTALLINE) 14808-60-7 Chemical name BARIUM SULPHAT	TWA (VLE-mg/m³ TWA: 3 r TWA (VLI-0.025 m respirable	MP): 10 -MP): 10 	STEL: 15 mg/m³;*** - TWA: 0.1 mg/m³; dust, respirable fraction	TWA: 1.5 mg/m³; respirable fraction*** TWA: 5 mg/m³;*** TWA: 2 mg/m³ TWA: 10 mg/m³ Ceiling: 0.3 mg/m³; solid aerosol*** TWA: 0.1 mg/m³; STEL: 0.5 mg/m³; STEL: 0.5 mg/m³;	inhalable gel TWA: 0.0 respirable nd ng/m³; lust mg/m³;	fraction, *** 5 mg/m³; e fraction Ur TWA: 1	TWA-(VLA-ED): 10 mg/m³;*** TWA: 3.5 mg/m³ - TWA-(VLA-ED): 0.05 mg/m³; respirable fraction nited Kingdom 0 mg/m³; inhalable dust ng/m³; respirable dust
TITANIUM DIOXIDE*** 13463-67-7 CARBON BLACK 1333-86-4 SILICON DIOXIDE 112945-52-5 SILICA (CRYSTALLINE) 14808-60-7 Chemical name BARIUM SULPHAT	TWA (VLE-mg/m³ TWA: 3 r TWA (VLI-0.025 m respirable	MP): 10 -MP): 10 	STEL: 15 mg/m³;*** - TWA: 0.1 mg/m³; dust, respirable fraction	TWA: 1.5 mg/m³; respirable fraction*** TWA: 5 mg/m³;*** TWA: 2 mg/m³ TWA: 10 mg/m³ Ceiling: 0.3 mg/m³; solid aerosol*** TWA: 0.1 mg/m³; STEL: 0.5 mg/m³; STEL: 0.5 mg/m³;	inhalable gel TWA: 0.0 respirable nd ng/m³; lust mg/m³;	fraction, *** 5 mg/m³; e fraction Ur TWA: 1 TWA: 4 m STEL: 3	TWA-(VLA-ED): 10 mg/m³;*** TWA: 3.5 mg/m³ - TWA-(VLA-ED): 0.05 mg/m³; respirable fraction nited Kingdom 0 mg/m³; inhalable dust ng/m³; respirable dust 0 mg/m³; respirable dust 2 mg/m³; respirable
TITANIUM DIOXIDE*** 13463-67-7 CARBON BLACK 1333-86-4 SILICON DIOXIDE 112945-52-5 SILICA (CRYSTALLINE) 14808-60-7 Chemical name BARIUM SULPHAT 7727-43-7	TWA (VLE-mg/m³ TWA: 3 r TWA (VLI-0.025 m respirable	MP): 10 -MP): 10 	STEL: 15 mg/m³;*** - TWA: 0.1 mg/m³; dust, respirable fraction	TWA: 1.5 mg/m³; respirable fraction*** TWA: 5 mg/m³;*** TWA: 2 mg/m³ TWA: 10 mg/m³ Ceiling: 0.3 mg/m³; solid aerosol*** TWA: 0.1 mg/m³; STEL: 0.5 mg/m³; STEL: 0.5 mg/m³; TWA-MAK: 3 mg/m³; respirable do the solid are solid aerosol**	inhalable gel TWA: 0.0 respirable ad ng/m³; lust mg/m³; st***	fraction, *** 5 mg/m³; e fraction Ur TWA: 1 TWA: 4 m STEL: 3	TWA-(VLA-ED): 10 mg/m³;*** TWA: 3.5 mg/m³ - TWA-(VLA-ED): 0.05 mg/m³; respirable fraction nited Kingdom 0 mg/m³; inhalable dust ng/m³; respirable dust 0 mg/m³; respirable dust 2 mg/m³; respirable dust 2 mg/m³; respirable dust***
TITANIUM DIOXIDE*** 13463-67-7 CARBON BLACK 1333-86-4 SILICON DIOXIDE 112945-52-5 SILICA (CRYSTALLINE) 14808-60-7 Chemical name BARIUM SULPHAT	TWA (VLE-mg/m³ TWA: 3 r TWA (VLI-0.025 m respirable	me/mP): 10 i;*** mg/m³ E-MP): g/m³; fraction	STEL: 15 mg/m³;*** - TWA: 0.1 mg/m³; dust, respirable fraction	TWA: 1.5 mg/m³; respirable fraction*** TWA: 5 mg/m³;*** TWA: 2 mg/m³ TWA: 10 mg/m³ Ceiling: 0.3 mg/m³; solid aerosol*** TWA: 0.1 mg/m³; STEL: 0.5 mg/m³; STEL: 0.5 mg/m³;	inhalable gel TWA: 0.0 respirable ad ng/m³; lust mg/m³; st***	fraction, *** 5 mg/m³; e fraction Ur TWA: 1 TWA: 4 m STEL: 3	TWA-(VLA-ED): 10 mg/m³;*** TWA: 3.5 mg/m³ - TWA-(VLA-ED): 0.05 mg/m³; respirable fraction nited Kingdom 0 mg/m³; inhalable dust ng/m³; respirable dust 0 mg/m³; respirable dust 2 mg/m³; respirable
TITANIUM DIOXIDE*** 13463-67-7 CARBON BLACK 1333-86-4 SILICON DIOXIDE 112945-52-5 SILICA (CRYSTALLINE) 14808-60-7 Chemical name BARIUM SULPHAT 7727-43-7	TWA (VLE-mg/m³ TWA: 3 r TWA (VLI-0.025 m respirable	me/mP): 10 i;*** mg/m³ E-MP): g/m³; fraction	STEL: 15 mg/m³;*** - TWA: 0.1 mg/m³; dust, respirable fraction Sweden -	TWA: 1.5 mg/m³; respirable fraction*** TWA: 5 mg/m³;*** TWA: 2 mg/m³ TWA: 10 mg/m³ Ceiling: 0.3 mg/m³; solid aerosol*** TWA: 0.1 mg/m³; STEL: 0.5 mg/m³; STEL: 0.5 mg/m³; TWA-MAK: 3 m respirable d TWA-MAK: 10 minhalable dus	inhalable gel TWA: 0.0 respirable ad ng/m³; lust mg/m³; st***	fraction, *** 5 mg/m³; e fraction Ur TWA: 1 TWA: 4 m STEL: 3 STEL: 1	TWA-(VLA-ED): 10 mg/m³;*** TWA: 3.5 mg/m³ - TWA-(VLA-ED): 0.05 mg/m³; respirable fraction nited Kingdom 0 mg/m³; inhalable dust 0 mg/m³; respirable dust 2 mg/m³; respirable dust 2 mg/m³; respirable dust 10 mg/m³; total inhalable
TITANIUM DIOXIDE*** 13463-67-7 CARBON BLACK 1333-86-4 SILICON DIOXIDE 112945-52-5 SILICA (CRYSTALLINE) 14808-60-7 Chemical name BARIUM SULPHAT 7727-43-7	TWA (VLE-mg/m³ TWA: 3 r TWA (VLI-0.025 m respirable	me/mP): 10 i;*** mg/m³ E-MP): g/m³; fraction	TWA: 0.1 mg/m³;*** TWA: 0.1 mg/m³; dust, respirable fraction Sweden -	TWA: 1.5 mg/m³; respirable fraction*** TWA: 5 mg/m³;*** TWA: 2 mg/m³ TWA: 10 mg/m³ Ceiling: 0.3 mg/m³; solid aerosol*** TWA: 0.1 mg/m³; STEL: 0.5 mg/m³; STEL: 0.5 mg/m³; TWA-MAK: 3 n respirable d TWA-MAK: 10 n inhalable dus TWA-MAK: 3 n respirable d TWA-MAK: 10 n TWA-MAK: 10 n	inhalable gel TWA: 0.0 respirable nd ng/m³; lust mg/m³; lust mg/m³;	fraction, *** 5 mg/m³; e fraction Ur TWA: 1 TWA: 4 m STEL: 3 STEL: 1 TWA TWA: 4	TWA-(VLA-ED): 10 mg/m³;*** TWA: 3.5 mg/m³ - TWA-(VLA-ED): 0.05 mg/m³; respirable fraction nited Kingdom 0 mg/m³; inhalable dust 0 mg/m³; respirable dust 2 mg/m³; respirable dust 2 mg/m³; respirable dust 10 mg/m³; total inhalable mg/m³; respirable
TITANIUM DIOXIDE*** 13463-67-7 CARBON BLACK 1333-86-4 SILICON DIOXIDE 112945-52-5 SILICA (CRYSTALLINE) 14808-60-7 Chemical name BARIUM SULPHAT 7727-43-7	TWA (VLE-mg/m³ TWA: 3 r TWA (VLI-0.025 m respirable	me/mP): 10 i;*** mg/m³ E-MP): g/m³; fraction	TWA: 0.1 mg/m³;*** TWA: 0.1 mg/m³; dust, respirable fraction Sweden -	TWA: 1.5 mg/m³; respirable fraction*** TWA: 5 mg/m³;*** TWA: 2 mg/m³ TWA: 10 mg/m³ Ceiling: 0.3 mg/m³; solid aerosol*** TWA: 0.1 mg/m³; STEL: 0.5 mg/m³; STEL: 0.5 mg/m³; TWA-MAK: 3 m respirable d TWA-MAK: 10 minhalable dus	inhalable gel TWA: 0.0 respirable nd ng/m³; lust mg/m³; lust mg/m³;	fraction, *** 5 mg/m³; e fraction Ur TWA: 1 TWA: 4 m STEL: 3 STEL: 1 TWA TWA: 4	TWA-(VLA-ED): 10 mg/m³;*** TWA: 3.5 mg/m³ - TWA-(VLA-ED): 0.05 mg/m³; respirable fraction nited Kingdom 0 mg/m³; inhalable dust 10 mg/m³; respirable dust 2 mg/m³; respirable dust 2 mg/m³; respirable dust 10 mg/m³; respirable dust*** 10 mg/m³; respirable : 30 mg/m³; respirable : 30 mg/m³; respirable : 30 mg/m³; respirable
TITANIUM DIOXIDE*** 13463-67-7 CARBON BLACK 1333-86-4 SILICON DIOXIDE 112945-52-5 SILICA (CRYSTALLINE) 14808-60-7 Chemical name BARIUM SULPHAT 7727-43-7	TWA (VLE-mg/m³ TWA: 3 r TWA (VLI-0.025 m respirable	me/mP): 10 i;*** mg/m³ E-MP): g/m³; fraction	TWA: 0.1 mg/m³;*** TWA: 0.1 mg/m³; dust, respirable fraction Sweden -	TWA: 1.5 mg/m³; respirable fraction*** TWA: 5 mg/m³;*** TWA: 2 mg/m³ TWA: 10 mg/m³ Ceiling: 0.3 mg/m³; solid aerosol*** TWA: 0.1 mg/m³; STEL: 0.5 mg/m³; STEL: 0.5 mg/m³; TWA-MAK: 3 n respirable d TWA-MAK: 10 n inhalable dus TWA-MAK: 3 n respirable d TWA-MAK: 10 n TWA-MAK: 10 n	inhalable gel TWA: 0.0 respirable nd ng/m³; lust mg/m³; lust mg/m³;	fraction, *** 5 mg/m³; e fraction Ur TWA: 1 TWA: 4 m STEL: 3 STEL: 1 TWA TWA: 4 STEL	TWA-(VLA-ED): 10 mg/m³;*** TWA: 3.5 mg/m³ - TWA-(VLA-ED): 0.05 mg/m³; respirable fraction nited Kingdom 0 mg/m³; inhalable dust 10 mg/m³; respirable dust 2 mg/m³; respirable dust 2 mg/m³; respirable dust 10 mg/m³; respirable dust*** 10 mg/m³; respirable inhalable 10 mg/m³; respirable inhalable 11 mg/m³; respirable 12 mg/m³; respirable 13 mg/m³; respirable 15 mg/m³; respirable 16 mg/m³; respirable
TITANIUM DIOXIDE*** 13463-67-7 CARBON BLACK 1333-86-4 SILICON DIOXIDE 112945-52-5 SILICA (CRYSTALLINE) 14808-60-7 Chemical name BARIUM SULPHAT 7727-43-7 TITANIUM DIOXID 13463-67-7	TWA (VLE-mg/m³) TWA: 3 r TWA (VLI 0.025 m respirable 3: E***	me/mP): 10 i;*** mg/m³ E-MP): g/m³; fraction	STEL: 15 mg/m³;*** - TWA: 0.1 mg/m³; dust, respirable fraction Sweden - JGV: 5 mg/m³; total dust***	TWA: 1.5 mg/m³; respirable fraction*** TWA: 5 mg/m³;*** TWA: 2 mg/m³ TWA: 10 mg/m³ Ceiling: 0.3 mg/m³; solid aerosol*** TWA: 0.1 mg/m³; STEL: 0.5 mg/m³; STEL: 0.5 mg/m³; TWA-MAK: 3 n respirable d TWA-MAK: 10 n inhalable dus TWA-MAK: 3 n respirable d TWA-MAK: 10 n TWA-MAK: 10 n	inhalable gel TWA: 0.0 respirable nd ng/m³; lust mg/m³; lust mg/m³;	fraction, *** 5 mg/m³; e fraction Ur TWA: 1 TWA: 4 m STEL: 3 STEL: 1. TWA STEL: 12	TWA-(VLA-ED): 10 mg/m³;*** TWA: 3.5 mg/m³ - TWA-(VLA-ED): 0.05 mg/m³; respirable fraction nited Kingdom 0 mg/m³; inhalable dust 10 mg/m³; respirable dust 2 mg/m³; respirable dust 2 mg/m³; respirable dust 10 mg/m³; respirable dust*** 10 mg/m³; total inhalable mg/m³; respirable 30 mg/m³; respirable 130 mg/m³; respirable 130 mg/m³; respirable 130 mg/m³; respirable 130 mg/m³; respirable 131 mg/m³; respirable 132 mg/m³; respirable 133 mg/m³; respirable
TITANIUM DIOXIDE*** 13463-67-7 CARBON BLACK 1333-86-4 SILICON DIOXIDE 112945-52-5 SILICA (CRYSTALLINE) 14808-60-7 Chemical name BARIUM SULPHAT 7727-43-7	TWA (VLE-mg/m³) TWA: 3 r TWA (VLI 0.025 m respirable 3: E***	me/mP): 10 i;*** mg/m³ E-MP): g/m³; fraction	TWA: 0.1 mg/m³;*** TWA: 0.1 mg/m³; dust, respirable fraction Sweden -	TWA: 1.5 mg/m³; respirable fraction*** TWA: 5 mg/m³;*** TWA: 2 mg/m³ TWA: 10 mg/m³ Ceiling: 0.3 mg/m³; solid aerosol*** TWA: 0.1 mg/m³; STEL: 0.5 mg/m³; STEL: 0.5 mg/m³; TWA-MAK: 3 n respirable d TWA-MAK: 10 n inhalable dus TWA-MAK: 3 n respirable d TWA-MAK: 10 n TWA-MAK: 10 n	inhalable gel TWA: 0.0 respirable nd ng/m³; lust mg/m³; lust mg/m³;	fraction, *** 5 mg/m³; e fraction Ur TWA: 1 TWA: 4 m STEL: 3 STEL: 1. TWA TWA: 4 STEL TWA TWA: 4 STEL TWA TWA: 4 TWA: 4 STEL TWA TWA: 4 STEL TWA	TWA-(VLA-ED): 10 mg/m³;*** TWA: 3.5 mg/m³ - TWA-(VLA-ED): 0.05 mg/m³; respirable fraction nited Kingdom 0 mg/m³; inhalable dust 10 mg/m³; respirable dust 2 mg/m³; respirable dust 2 mg/m³; respirable dust 10 mg/m³; respirable dust*** 10 mg/m³; respirable inhalable 10 mg/m³; respirable inhalable 11 mg/m³; respirable 12 mg/m³; respirable 13 mg/m³; respirable 15 mg/m³; respirable 16 mg/m³; respirable

SILICON DIOXIDE	-	TWA-MAK: 4 mg/m ³ ; inhalable	TWA: 6 mg/m ³ ; inhalable dust
112945-52-5		dust***	TWA: 2.4 mg/m ³ ; respirable
			dust
			STEL: 18 mg/m ³ ; inhalable
			dust
			STEL: 7.2 mg/m ³ ; respirable
			dust***
SILICA (CRYSTALLINE)	TLV-NGV: 0.1 mg/m ³ ;	TWA-MAK: 0.15 mg/m ³ ;	TWA: 0.1 mg/m ³ ; respirable
14808-60-7	respirable fraction	respirable dust	fraction
			STEL: 0.3 mg/m ³ ; respirable

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers ***

Chemical name	Oral	Dermal	Inhalation
BARIUM SULPHATE***	-	-	10 mg/m³ [4] [6]
7727-43-7			10 mg/m³ [5] [6]
CARBON BLACK	-	-	1 mg/m³ [4] [6]
1333-86-4			0.5 mg/m³ [5] [6]

Notes ***

[4] Systemic health effects.***
[5] Local health effects.***
[6] Long term.***

Derived No Effect Level (DNEL) - General Public ***

Chemical name	Oral	Dermal	Inhalation
BARIUM SULPHATE***	13000 mg/kg bw/day [4] [6]	-	10 mg/m³ [4] [6]
7727-43-7			-
CARBON BLACK	-	-	0.06 mg/m ³ [4] [6]
1333-86-4			

Notes **

[4] Systemic health effects.***

[6] Long term.***

Predicted No Effect Concentration (PNEC) ***

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
C.I. PIGMENT RED 254 84632-65-5	10 mg/L	1 mg/L	1 mg/L	-	•
BARIUM SULPHATE*** 7727-43-7	115 μg/L	-	-	-	-
TITANIUM DIOXIDE*** 13463-67-7	0.127 mg/l	0.61 mg/l	1 mg/l	0.61 mg/l	-

Revision date	09-09-2025
---------------	------------

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
C.I. PIGMENT RED 254 84632-65-5	377 mg/kg sediment dw	37.7 mg/kg sediment dw	1 mg/L	1 mg/kg soil dw	-
BARIUM SULPHATE*** 7727-43-7	600.4 mg/kg sediment dw	-	62.2 mg/L	207.7 mg/kg soil dw	-
TITANIUM DIOXIDE*** 13463-67-7	1000 mg/kg sediment dw	100 mg/kg sediment dw	100 mg/L	100 mg/kg soil dw	-

8.2. Exposure controls

Engineering controls No information available.

Personal protective equipment

Eye/face protection Appropriate eye/face protection should be selected and used according to the chemical

nature, hazards and use of this product and safety requirements of the local jurisdiction.

Hand protection Wear chemically resistant gloves (tested in accordance to EN 374-1 Type C or greater to be

assessed by local risk assessment and physical activity) in combination with employee training.Glove material: Neoprene, Nitriles.Gloves should be discarded and replaced if

there is any indication of degradation or chemical breakthrough.***

Skin and body protection Appropriate skin and body protection should be selected and used according to the

chemical nature, hazards and use of this product and safety requirements of the local

jurisdiction.

Appropriate respiratory protection should be selected and used according to the chemical Respiratory protection

nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be

None known

None known

None known

required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

No information available. **Environmental exposure controls**

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Coloured paste, or, Viscous liquid

Physical state Liquid Color red Odor Aromatic

Odor threshold No information available

Property Values Remarks • Method No data available None known

No data available

Melting point / freezing point Boiling point or initial boiling point No data available

and boiling range **Flammability**

Lower and upper explosion limit/flammability limit Lower explosion limit

No data available Upper explosion limit No data available

> 65 °C*** None known Flash point

Page 9 / 16

No data available None known **Autoignition temperature Decomposition temperature**

None known

None known

SADT (°C) No data available None known No data available None known pH (as aqueous solution) No data available None known No data available Kinematic viscosity None known Dynamic viscosity No data available None known None known Solubility Organic solvents

No data available Insoluble in water None known Water solubility

Partition coefficient n-octanol/water No data available

(log value)

Vapor pressure No data available None known Density and/or relative density No data available None known

Bulk density No data available **Liquid Density** No data available

Relative vapor density No data available None known

Particle characteristics

Particle Size No information available No information available **Particle Size Distribution**

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No information available

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stable under normal conditions. Stability

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

None known based on information supplied. Incompatible materials

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity Based on available data, the classification criteria are not met.

Numerical measures of toxicity **

The following ATE values have been calculated for the mixture ***

ATEmix (oral) 99,999.00*** mg/kg***
ATEmix (dermal) 99,999.00*** mg/kg***
ATEmix (inhalation-gas) 99,999.00*** ppm***
ATEmix (inhalation-vapor) 99,999.00*** mg/l***
ATEmix (inhalation-dust/mist) 99,999.00*** mg/l***

Component Information ***

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
BARIUM SULPHATE	= 307000 mg/kg (Rat)	-	-
TITANIUM DIOXIDE	> 2000 mg/kg (Rat)	-	> 5.09 mg/L (Rat)4 h***

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationBased on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Carbon black is not suitable to be tested directly in bacterial (Ames

test) and other in vitro systems because of its insolubility. However, when organic solvent extracts of carbon black have been tested, results showed no mutagenic effects. Organic solvent extracts of carbon black can contain traces of polycyclic aromatic hydrocarbons (PAHs). A study to examine the bioavailability of these PAHs showed that they are very tightly bound to

carbon black and are not bioavailable (Borm, 2005). In an experimental investigation,

mutational changes in the hprt ene

were reported in alveolar epithelial cells in the rat following inhalation exposure to carbon black (Driscoll, 1997). This observation is considered to be rat-specific and a consequence of "lung overload," which leads to chronic inflammation and release of reactive oxygen species. This is considered to be a secondary genotoxic effect and, thus, carbon black itself would not be

considered to be mutagenic.***

Carcinogenicity In 2006 IARC re-affirmed its 1995 finding that there is "inadequate evidence" from human

health studies to assess whether carbon black causes cancer in humans. IARC concluded that there is "sufficient evidence" in experimental animal studies for the carcinogenicity of carbon black. IARC's overall evaluation is that carbon black is "possibly carcinogenic to humans (Group 2B)". This conclusion was based on IARC's guidelines, which generally require such a classification if one species exhibits carcinogenicity in two or more animal studies (IARC, 2010). Solvent extracts of carbon black were used in one study of rats in which skin tumors were found after dermal application and several studies of mice in which sarcomas were found following subcutaneous injection. IARC concluded that there was "sufficient evidence" that carbon black extracts can cause cancer in animals (Group 2B).***

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazardBased on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity ***

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the

threshold of declaration.

Chemical name	PBT and vPvB assessment
BARIUM SULPHATE***	Not PBT/vPvB***
TITANIUM DIOXIDE***	Not PBT/vPvB***

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

PMT or vPvM properties Based on available data, the classification criteria are not met.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

IATA

14.1	UN number or ID number	Not regulated
14.2	UN proper shipping name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazards	Not applicable

14.6 Special precautions for user

Special Provisions None

IMDG_

14.1	UN number or ID number	Not regulated
14.2	UN proper shipping name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazards	Not applicable
		• • •

14.6 Special precautions for user

Special Provisions None

14.7 Maritime transport in bulk No information available

according to IMO instruments

<u>RID</u>

14.1	UN number or ID number	Not regulated
14.2	UN proper shipping name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazards	Not applicable

14.6 Special precautions for user

Special Provisions None

ADR

14.1 UN number or ID number Not regulated

14.2 UN proper shipping name
 14.3 Transport hazard class(es)
 14.4 Packing group
 14.5 Environmental hazards
 Not regulated Not regulated Not applicable

14.6 Special precautions for user

Special Provisions None

ADN

14.1UN number or ID numberNot regulated14.2UN proper shipping nameNot regulated14.3Transport hazard class(es)Not regulated14.4Packing groupNot regulated14.5Environmental hazardNot applicable

14.6 Special precautions for user

Special Provisions None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical Prohibition Ordinance (ChemVerbotsV)

This product is subject to requirements and restrictions regarding handling and delivery***

TRGS 905 Not applicable

Switzerland

Ordinance on the Incentive Tax on Volatile Organic Compounds (OVOC) SR 814.018 Not applicable

Storage of Hazardous Material SC Non-hazardous material***

WPO GSchV) SR 814.201; WPA (GSchG) SR 814.20 Not applicable

Major Accidents Ordinance SR 814.012 Not applicable

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)***

Chemical name	Restricted substance per REACH	Substance subject to authorization per
	Annex XVII	REACH Annex XIV
TITANIUM DIOXIDE*** - 13463-67-7	75***	_

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) Regulation (EU) 2024/590

Not applicable.

Explosives Precursors Marketing and Use (2019/1148)

Not applicable

International Inventories

TSCA Contact supplier for inventory compliance status Contact supplier for inventory compliance status **DSL/NDSL** Contact supplier for inventory compliance status **EINECS/ELINCS** Contact supplier for inventory compliance status **ENCS** Contact supplier for inventory compliance status **IECSC** Contact supplier for inventory compliance status **KECL PICCS** Contact supplier for inventory compliance status AIIC Contact supplier for inventory compliance status **NZIoC** Contact supplier for inventory compliance status Contact supplier for inventory compliance status **TCSI**

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing Chemicals Inventory

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AllC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals
TCSI - Taiwan Chemical Substance Inventory

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization:

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

+ Sensitizers

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity***	Calculation method***
Acute dermal toxicity***	Calculation method***
Acute inhalation toxicity - gas***	Calculation method***
Acute inhalation toxicity - vapor***	Calculation method***
Acute inhalation toxicity - dust/mist***	Calculation method***
Skin corrosion/irritation***	Calculation method***
Serious eye damage/eye irritation***	Calculation method***
Respiratory sensitization***	Calculation method***
Skin sensitization***	Calculation method***
Mutagenicity***	Calculation method***
Carcinogenicity***	Calculation method***
Reproductive toxicity***	Calculation method***
STOT - single exposure***	Calculation method***

STOT - repeated exposure***	Calculation method***
Chronic aquatic toxicity***	Calculation method***
Acute aquatic toxicity***	Calculation method***
Aspiration hazard***	Calculation method***
Ozone***	Calculation method***

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

European Chemicals Agency (ECHA) (ECHA_API)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 09-09-2025

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Disclaimer

The information contained within this document is presented in good faith and is believed to be correct. West and Senior Limited makes no representation as to the accuracy and/or completeness of this information. This information is issued on the condition that the user will determine the safety and suitability of products for their purposes prior to use. All technical details and values presented are deemed typical and do not constitute a delivery specification.

End of Safety Data Sheet